

Consumables

ADHESIVES EPOXY

DP100 Epoxy-Very clear, fast setting room temp curing, 2 part adhesive for metal, ceramic, wood and plastics

Part Number	Description
021200-22648	2 oz cartridge



DP100FR Epoxy-Flame retardant version of DP100. Off-White with a work life of 5 to 8 minutes.

Part Number	Description
048011-56742	1.7 oz cartridge



DP105 Epoxy-Clear, fast cure flexible with excellent peel strength.

Part Number	Description
021200-87203	1.7 oz cartridge



DP110 Epoxy-Fast setting, flexible, for metal, ceramic and plastics 9 minute work life

Part Number	Description	Part Number	Description
021200-82465	2 oz cartridge	DP110GRAU2OZ	Cartridge



DP125 Epoxy-Very high peel strength, moderate flexibility for rubber, metal, wood, and plastics.

Part Number	Description	Part Number	Description
021200-87211	Clear 1.7 oz	021200-87215	Gray 1.7 oz



DP190 Epoxy-Flexible, room temp cure, high strength with good shear & pull strength. 90 minute work life.

Part Number	Description
021200-22647	Gray 1.7 oz



DP420 Epoxy-High Performance, outstanding shear & peel strength, very durable, 20-30 minute work life. 1.25 oz cartridge

Part Number	Description	Part Number	Description
021200-82236	Off-white	021200-41528	Black



DP460 Epoxy-High Performance for a wide range of substrates, reliable & toughened for durability.

60-80 minute work life. Off-White

Part Number	Description
021200-82225	1.25 oz



1751 Scotch-Weld Epoxy-Gray, aluminum filled, 2 part Great adhesion to metal & good void-filling properties

Part Number	Description	Part Number	Description
021200-20100	2 oz tube	021200-20101	Pint
021200-20103	QT		



1838 Scotch-Weld Epoxy-Green, 2 part, high strength bonds metals, wood, plastics and masonry

Part Number	Description	Part Number	Description
021200-20148	2 oz tube	021200-20150	Pint
021200-20152	QT		



2216 Scotch-Weld Epoxy-Highly Flexible, 2 part adhesive

Part Number	Description	Part Number	Description
021200-20851	2 oz kit clear	021200-20351	2 oz kit gray
021200-20354	Pint kit gray	021200-20854	QT Kit
021200-65203	QT Gray		



Consumables

ADHESIVE-Continued ECCOBOND

EccoBond 104-2 Component, heat cured epoxy adhesive

Part Number	Description
ECCOBOND104KIT	QT kit

EccoBond 45-15-Filled epoxy adhesive, black with catalyst 15

Part Number	Description
ECCOBOND45-15QT	QT kit

EccoBond 60L-2 Component Carbon-Filled electrically conductive epoxy

Part Number	Description
ECCOBOND60LQRT	QT Kit

PLIOBOND

Pliobond 20-General Purpose synthetic rubber based adhesive

Part Number	Description	Part Number	Description
P351	1 oz tube	PBC20	8 oz can
PC220	Pint can	PC320	QT can

Pliobond 30-Higher solids and viscosity than Pliobond 20

Part Number	Description	Part Number	Description
30-10z	1 oz tube	PCBV30	8 oz can

PLASTIC

2262 Plastic Adhesive-Clear, non-staining, high strength, rapid tacking for bonding extruded vinyl's.

Part Number	Description
021200-20392	QT

4475 Plastic Adhesive-Clear, general purpose, rapid drying for ceramics, glass, leather, cloth & vinyls.

Part Number	Description	Part Number	Description
021200-21220	5 oz	021200-21221	QT

RUBBER GASKET

1300 Rubber & Gasket-Premium quality brush able, heat resistant neoprene adhesive w/excellent adhesion

Part Number	Description	Part Number	Description
021200-19868	5 oz	021200-19872	QT
021200-19873	5 gal		

1300L Rubber & Gasket -Lower viscosity than EC1300 Sprayable version

Part Number	Description	Part Number	Description
021200-19927	Industrial Qt	021200-19928	Aerospace Qt
021200-19931	Gal	021200-19936	5 Gal

2141 Rubber & Gasket -Light colored, brush able water resistant for neoprene, Nitrile and SBR Rubber.

Part Number	Description
021200-2042	QT

SCOTCH-SEAL

800 Scotch-Seal-Brush able, dries to a flexible, rubbery seal for aluminum, steel, glass & many plastics

Part Number	Description
EC800-5OZ	5 oz

2084 Scotch-Seal-One-part aluminum colored, medium viscosity dries to a flexible film for bedding glass

Part Number	Description
021200-20227	5 oz



Consumables

ADHESIVE-Continued MISCELLANEOUS ADHESIVES-Continued

1357 High Performance-Contact adhesive that provides long bonding range & excellent initial strength. For plastic, paper, rubber, cloth, metal & wood. Meets MIL-A-21366

Part Number	Description	Part Number	Description
021200-19887	Olive 5 oz	021200-19892	Olive Qt
021200-19893	Aerospace QT	021200-22586	Olive Gal
021200-22586	Clear Gal	021200-19897	Olive 5 Gal
021200-64963	Clear 5 Gal		



1357-L-Lower Viscosity than EC1300, Sprayable version

Part Number	Description
021200-22590	Olive 5 Gal

CT5047-2AB-2 Component Silver-Filled electrically conductive epoxy

Part Number	Description
CT5047-2AB125G	125 Gram Kit

Devcon 14210-General purpose, 5 minute rapid set epoxy in two tubes for easy mixing

Part Number
14210-2-50Z



URETHANE

3532 Urethane Adhesive-2 part kits cures at room temp or with heat to produce a high peel strength bond. Brown

Part Number	Description	Part Number	Description
021200-20878	2 oz kit	021200-20879	QT kit



3535 Urethane Adhesive-2 part kits cures at room temp or with heat to produce a high peel strength bond. Fast cure Off-White

Part Number	Description	Part Number	Description
021200-20887	2 oz kit	021200-65222	QT Kit



3549 Urethane Adhesive-Long work life, 2 part, cures at room temp or with heat for a high impact bond. Off-White

Part Number	Description	Part Number	Description
021200-20901	2 oz kit	021200-20902	QT kit



INSTANT ADHESIVE EPOXY

608 Hysol Epoxy-High strength, fast acting, non-sag, low odor. 5 minute work life

Part Number	Description	Part Number	Description
83086	4 gm foil pack	83075	50 ml cartridge
83082	EPK 2.8 oz kit		



615 Hysol Epoxy-High strength, machine able, sand able. 10 minute work life

Part Number	Description
83094	EPK 3.2 oz kit



0151 Hysol Epoxy-General purpose paste with 60 minute extended work life

Part Number	Description	Part Number	Description
83069	50 ml cartridge	83176	EPK 3.3 oz kit

Poxy Pak 5 Minute Epoxy-Fast cure, high strength, reaches handling strength in 4-6 minutes
Two-Part dual pack syringe

Part Number	Description
1324007	1 oz cartridge



Consumables

INSTANT ADHESIVE-Continued GASKET SEALANT

Gasket Sealant #1-Reliable, paste sets quickly for rigid permanent assembly. Use up to 400 F

Part Number	Description	Part Number	Description
30510	1.5 oz tube	30511	3 oz tube
30512	7 oz can		



Gasket Sealant #2-Reliable, paste sets slowly to a pliable film for non-rigid vibrating Use up to 400 F

Part Number	Description	Part Number	Description
30513	1.5 oz tube	30514	3 oz tube
30515	7 oz can		



PRISM

401 Prism-General Purpose for difficult-to-bond areas. Surface Insensitive

Part Number	Description	Part Number	Description
40104	3 gm tube	40140	20 gm bottle



403 Prism-Low odor/Low Bloom for less precisely fitted parts

Part Number	Description	Part Number	Description
40304	3 gm tube	40340	20 gm bottle



406 Prism-Wicking Grade, surface insensitive. Meets A-A-3097

Part Number	Description	Part Number	Description
40604	3 gm tube	40640	20 gm bottle



408 Prism-Wicking grade, Low odor, Low Bloom

Part Number	Description
40840	20 gm bottle



409 Super Bonder-General purpose gel type

Part Number	Description	Part Number	Description
40904	3 gm tube	21922	10 gm syringe
40945	20 gm tube		



410 Prism-Gap Filling gel, toughened ethyl, black color

Part Number	Description	Part Number	Description
41004	3 gm tube	41045	20 gm bottle



411 Prism-Gap-Filling, Toughened with excellent impact & peel strength

Part Number	Description	Part Number	Description
41104	3 gm tube	41145	20 gm bottle



454 Prism-Gel for porous materials

Part Number	Description	Part Number	Description
41504	3 gm tube	21925	10 gm syringe
45440	20 gm tube		



455 Prism-Gel for porous materials Low Odor / Low Bloom

Part Number	Description	Part Number	Description
22309	10 gm syringe	17421	200 gm tube



460 Prism-Low Odor Low Bloom for close fitting parts

Part Number	Description	Part Number	Description
46004	3 gm tube	46040	20 gm bottle



480 Prism-Toughened general purpose Low viscosity Bonds metal and rubber.

Part Number	Description
48040	20 gm bottle

Consumables

INSTANT ADHESIVE-Continued PRISM-Continued

4203 Prism-Thermally resistant for close-fitting parts

Part Number	Description
28026	20 gm tube



4204 Prism-Thermally resistant gap-filling adhesive

Part Number	Description
26324	20 gm tube



4205 Prism-Thermally resistant gel for porous surfaces

Part Number	Description	Part Number	Description
28028	20 gm syringe	28029	200 gm tube



4851 Prism-Flexible alkyl medium viscosity for porous materials such as paper or leather

Part Number	Description
37732	20 gm bottle



4861 Prism-Flexible alkyl high viscosity, general purpose, gap-filling

Part Number	Description
37708	20 gm bottle

Super Bonder

412 Super Bonder-Temporary bonding, general purpose ethyl

Part Number	Description
41250	1 oz bottle



414 Super Bonder-General Purpose plastic bonder. Meets A-A-3097

Part Number	Description	Part Number	Description
41404	3 gm tube	41450	1 oz bottle



415 Super Bonder-Gap-Filling metal bonder, general purpose. Meets A-A-3097

Part Number	Description
41550	1 oz bottle

416 Super Bonder-Gap-Filling plastic bonder, general purpose. Meets A-A-3097

Part Number	Description
41650	1 oz bottle



417 Super Bonder-Temporary bonding, general purpose ethyl

Part Number	Description
41750	1 oz bottle

420 Super Bonder-Wicking type general purpose plastic bonder. Meets A-A-3097

Part Number	Description
42050	1 oz bottle



422 Super Bonder-Gap-Filling general purpose plastic bonder. Meets A-A-3097

Part Number	Description
42250	1 oz bottle

426 Super Bonder-Toughened gel for porous areas

Part Number	Description	Part Number	Description
21921	10 gm syringe	18398	20 gm tube
17451	200 gm tube		



Consumables

INSTANT ADHESIVE-Continued SUPER BONDER-Continued

430 Super Bonder-Industrial Grade for bonding close fitting metal parts

Part Number	Description	Part Number	Description
43004	3 gm tube	43050	1 oz bottle

493 Super Bonder-Wicking type metal bonder meets A-A-3097

Part Number	Description
49350	1 oz bottle

495 Super Bonder-General purpose, popular choice meets A-A-3097

Part Number	Description	Part Number	Description
49595	.07 oz pen	49504	3 gm tube
49550	1 oz bottle		

496 Super Bonder-General purpose, rubber bonder meets A-A-3097

Part Number	Description
49650	1 oz bottle

498 Super Bonder-General purpose, thermal cycling resistant for metal & rubber.

Part Number	Description
49850	1 oz bottle

499 Super Bonder-Gel, thermal cycle resistant

Part Number	Description	Part Number	Description
49904	3 gm tube	21924	10 gm Syringe
49945	20 gm tube		



MISCELLANEOUS INSTANT ADHESIVE

380 Black Max-Toughened, for metal, rubber, plastic. Black Color

Part Number	Description	Part Number	Description
38004	3 gm tube	38050	1 oz bottle

382 Tak Pak-Ultra Performance, wire tacking adhesive

Part Number	Description	Part Number	Description
38203	3 gm tube	20420	20 gm kit
38240	20 gm bottle		

404 Quick Set-General Purpose. Great for rubber. Meets A-A-3097

Part Number	Description	Part Number	Description
46551	1/3 oz bottle	46548	4 oz bottle

444 Tak Pak-For PC Boards cures instantly with 712 or 7452

Part Number	Description	Part Number	Description
12292	20 gm bottle	20419	20 gm kit



ANTI-SEIZE COMPOUNDS

LPS Copper Anti-Seize-Lead free, low friction for extreme environments up to 1800 F. For dissimilar metals. MIL-PRF-907

Part Number	Description	Part Number	Description
02916	12 oz	02908	1/5 LB
02910	1LB		

LPS Nickel Anti-Seize-Extreme Temps up to 2600 F Acid resistant, lead, copper & graphite free. MIL-PRF-907

Part Number	Description	Part Number	Description
03908	1/5 LB	03910	1LB



Consumables

ANTI-SEIZE-Continued

LPS All Purpose Anti-Seize-Moly Fortified, lead free protects up to 1800 F. Not affected by contraction or vibration. MIL-PRF-907

Part Number	Description	Part Number	Description
04108	1/5 LB	04110	1LB

Dow MolyKote P37-Extremely pure paste with no lead, nickel, sulphur, chlorine or fluorine. High temp up to 2552 F. P&W PWA-36246

Part Number	Description
P37-1LB	1LB can

Never Seez Regular Grade-With fine copper, graphite & aluminum to protect in high pressure & corrosive environments up to 1800 F. MIL-PRF-907, P&W PWA-360523

Part Number	Description
NSBT4	1/4 lb tube

Pure Nickel Special-Nickel and Graphite based. Acid and caustic resistant, Protects up to 2400 F. MIL-PRF-907, P&W PWA-36053-1

Part Number	Description	Part Number	Description
NSBT8N	5 oz brush can	NSBT16N	1LB brush can
NSN165	1LB can		

Never Seez Pipe Compound-Teflon based pipe and fitting lubricant allows positive sealing up to 525 F.

Part Number	Description
NPBT8	8 oz brush can

EZ Turn-Effective for fuel & oil lines or where high octane fuels are present. Will not crack or dry out. Temps up to 400 F. MIL-G-6032

Part Number	Description	Part Number	Description
EZTURN5OZ	5 oz Tube	EZTURN1LB	1LB can

ROYCO 44-Microfine graphite in a petrolatum base. Stiff, charcoal gray lubricant Meets SAE-AMS-2518 Replaces MIL-T-5544

Part Number	Description
44-1-75LB	1LB can

ROYCO 1MS-Microfine powdered molybdenum disulphide in a petrolatum base. Non abrasive, highly stable Meets MIL-PRF-83483

Part Number	Description
1MS1-75LB	1.75 lb

Graphite Petrolatum-Powdered graphite in a technical grade petrolatum base. The standard anti-seize for many years. Meets Government spec V V-P-236

Part Number	Description
VVP236-1LB	1LB can

Silver Goop-Oil based thread lube with silver for stainless steel and high temp alloys in environments up to 1500 F

Part Number	Description	Part Number	Description
SILVERGOOP	1 oz Tube	MISTLSGT1LB	1LB



Consumables

ANTI-SEIZE COMPOUNDS-Continued

C5-A Copper-Exclusive formula suspends copper & graphite in a high quality grease for temps up to 1800 F. MIL-PRF-907

Part Number	Description	Part Number	Description
51299	2GM pouch	51277	7GM pouch
51001	1 oz tube	51002	4 oz tube
51144	4 oz brush can	51147	8 oz brush can
51005	10 oz Brush can	51003	12 oz Aerosol
51004	13 oz Cartridge	51006	1LB can
51007	1LB brush can	39643	1LB B T Metal
51008	2.5 lb can	51009	8 LB can
38584	25 lb pail	51011	42 lb pail
37229	20GM stick		



Nickel-Copper free, recommended for stainless steel and other fittings. Up to 2400 F.

Part Number	Description	Part Number	Description
77124	8 oz Brush can	51286	12 oz Aerosol
51102	1LB can	77164	1LB can brush can
51152	8 lb can	77175	5 GAL Pail



Moly 50-Metal free, general purpose anti-seize with molybdenum disulphide in petrolatum. Meets MIL-PRF-83483.

Part Number	Description
51094	1LB can

C-200-Solid film protection for engine parts, bearings and servo-mechanisms. Temp resistant up to 2400 F as an anti-seize

Part Number	Description
39893	1.3 LB can



Zinc-Protects aluminum and ferrous surfaces from seizure and corrosion up to 750 F

Part Number	Description
39901	1LB can



Graphite-50-Electrically conductive, non-metallic. Temp resistant up to 900 F. Highly conductive in metal-to-metal joints.

Part Number	Description
51084	1LB can



Heavy Duty-Metal-free. Outstanding for all metals including stainless steel, aluminum and soft metals up to 2400 F.

Part Number	Description	Part Number	Description
51609	1 oz tube	51605	9 oz brush can
51606	1.2 LB brush can	51607	2.3 LB can



Silver Grade-Heavy Duty, temp resistant Fortified with graphite & silver flake, For temps up to 1600 F.

Part Number	Description	Part Number	Description
38181	7 GM pouch	80209	4 oz brush can
76732	8 oz brush can	76759	12 oz Aerosol
76764	1LB brush can	80206	1 GAL can
76775	5 GAL pail	37230	20gm stick



TiteSeal-Seals threaded pipe joints and flare nuts. Use with gasket or as a gasket.

T20 is Lite weight. T25 is Med T55 is Liquid

Part Number	Description	Part Number	Description
T20-66-1LB	1LB	T25-66-1LB	1LB
T55-04	4 oz		



Consumables

ANTI-SEIZE COMPOUNDS-Continued

Milk of Magnesia-Magnesium Hydroxide anti-seize recommended for some G.E. engine applications

Part Number	Description
MILK0FMAGNESIA	12 oz



Acheson GP460-High purity graphite in petrolatum for high stress over wide temp range. Meets G.E. Spec A50TF201

Part Number	Description	Part Number	Description
GP460-40Z	4 oz tube	GP460PT	Pint



CORROSION INHIBITORS

LPS 2-Penetrating short term protection. MIL-C-81309, MIL-C-16173 GR3

Part Number	Description	Part Number	Description
00216	11 oz Aerosol	02128	GAL
00205	5 GAL	00222	20 oz Trigger



LPS 3-Heavy duty, soft waxy film protects up to 2 years. MIL-C-16173 GR2, BMS3-23

Part Number	Description	Part Number	Description
00316	11 oz Aerosol	03128	GAL
00305	5 GAL	00322	20 oz Trigger



Procyon-Durable, clear hard film is for high risk areas. Low odor application. BMS3-29

Part Number	Description	Part Number	Description
04228	GAL	04205	5 GAL
04255	55 GAL		



HardCoat-Hard film technology resists saltwater, acids and alkali fumes. BMS3-23

Part Number	Description	Part Number	Description
03328	GAL	03305	5 GAL
03355	55 GAL		



ACF-50-Advanced technology protects airframe & avionics. BMS3-23, MIL-C-81309

Part Number	Description	Part Number	Description
10013	13 oz Aerosol	10032	32 oz
10004	4 Ltr Jug	10020	5 GAL



Spray Wand System-Hand-held spray system for applying ACF-50 and other corrosion products. Includes cup and 7 wands.

Part Number	Description
50000	Wand Kit



Corrosion X-Fluid Thin Film Coating Penetrates oxidation and displaces electrolytes

Part Number	Description	Part Number	Description
80102	16 oz Aerosol	80103	16 oz Trigger
84004	GAL	84005	5 GAL



SP-350-Provides lubrication and protection for parts stored indoors or for shipping. Displaces moisture

Part Number	Description	Part Number	Description
03262	16 oz Aerosol	03266	5 GAL

SP-400-Long term indoor/outdoor inhibitor for storage or shipping. Removable firm, waxy non-brittle film.

Part Number	Description
03282	16 oz Aerosol



Consumables

CORROSION INHIBITORS-Continued

3-36-Multi purpose lube and inhibitor designed for use with plastics. MIL-C-81309

Part Number	Description	Part Number	Description
10200	16 oz Aerosol	10201	GAL
10202	5 GAL		



SUPER-CORR A-Designed to protect relays connectors, circuit boards, and avionics & terminations. MIL-C-87177

Part Number	Description
SUPERCORRA120Z	Aerosol

WD-40-Low viscosity non-gumming displaces moisture

Part Number	Description	Part Number	Description
10152	12 oz Aerosol	WD40-1GL	GAL
WD40-5GL	Pail		



COR-BAN 22-Fluid version of Cor-Ban 27L Long lasting in steel

Part Number	Description	Part Number	Description
007047	12 oz Aerosol	009400	GAL
007049	5 GAL	007050	Drum



COR-BAN 23-Thin film, fast dry, high penetration. BMS3-23,

Part Number	Description	Part Number	Description
008017	12 oz Aerosol	010097	QT
009401	GAL	008015	5 GAL
008016	Drum		



COR-BAN 27L-Non-Drying paste for static joints. Boeing BMS3-38, Airbus CML 05-133

Part Number	Description	Part Number	Description
009402	5 oz tube I	009403	6 oz Cartridge
009843	14 oz Cartridge	009404	Pint
009405	QT	009406	GAL
002099	5 GAL	002100	Drum



COR-BAN 33-Self-curing film. meets requirement of BMS3-23

Part Number	Description	Part Number	Description
007894	12 oz Aerosol	010119	QT
009407	GAL	007892	5 GAL
00783	Drum		

COR-BAN 35-Long lasting, low VOC BMS3-35, MIL-PRF-85054

Part Number	Description	Part Number	Description
004675	12 oz Aerosol	009408	QT
009409	GAL	002104	5 GAL
002105	Drum		



COR-BAN 50-For heavy duty use. Firm amber transparent film

MIL-C-16173 GR 4

Part Number	Description	Part Number	Description
007896	12 oz Aerosol	009411	GAL
007872	5 GAL	007873	Drum



D-5010NS-Dissolves rust & leaves a thin film for small parts. MIL-C-23411

Part Number	Description	Part Number	Description
002045	12 oz Aerosol	009412	GAL
002085	5 GAL	002086	Drum

D-5015NS-MIL-C-891309 Type III

Part Number	Description	Part Number	Description
007670	12 oz Aerosol	009413	GAL
002089	5 GAL	002090	Drum



Consumables

CORROSION INHIBITORS-Continued

D-5026NS-For electronics MIL-C-891309 Type II

Part Number	Description	Part Number	Description
007669	12 oz Aerosol	009415	GAL
002095	5 GAL	002096	Drum

D-5029NS-Long lasting, low VOC, non-tacky film. BMS3-29

Part Number	Description	Part Number	Description
002050	12 oz Aerosol	009422	GAL
002109	5 GAL	002110	Drum

D-5030NS-Firm waxy film with good electrical resistance. Film is removable with solvents.

Part Number	Description
002051	12 oz Aerosol

D-5082NS-Very long term, self-healing corrosion control.

Part Number	Description	Part Number	Description
002054	12 oz Aerosol	009424	GAL
002131	5 GAL	002132	Drum



D-5029NS AEROSOL
ZC-029 BULK
HEAVY DUTY,
LONG TERM C1C



GREASE AND OILS

Aeroshell

Aeroshell Product	Specification	Part Numbers			
Aeroshell 5 Grease	MIL-G-3545 (obsolete)	5CTG	5-6-6LB	5-35LB	5-120LB
Aeroshell 6 Grease	MIL-PRF-24139	6CTG	6-6-6LB	6-35LB	
Aeroshell 7 Grease	MIL-PRF-23827C TY2	7CTG	7-6-6LB	7-37-5LB	7-400LB
Aeroshell 14 Grease	MIL-G-25537	14CTG	14-6-6LB	14-35LB	
Aeroshell 22 Grease	MIL-PRF-81322F	22CTG	22-6-6LB	22-37-5LB	
Aeroshell 33 Grease	MIL-PRF-23827C TY1 and BMS3-33	33CTG	33-6-5LB	33-37-5LB	33-120LB
Aeroshell 33MS	MIL-G-21164D	33MSCTG	33MS6-6LB	33MS37LB	

Note: CTG = 14 OZ Cartridge, 6-6LB = 6.6 LB Can, 35LB or 37-5LB = Pail, 120LB or 400LB = Drum



Aeroshell Product	Part Numbers
Turbine Oil 500 MIL-PRF-23699F	500-1QT
Turbine Oil 555 DOD-PRF-85734	555-1QT
Turbine Oil 560 MIL-PRF-23699F	560-1QT
Aeroshell Oil W 65 Ashless Dispersant	65WQT
Aeroshell Oil W 80 Ashless Dispersant	80WQT
Aeroshell Oil W 100 Ashless Dispersant	100WQT
Aeroshell Oil W 100 PLUS Ashless Dispersant	100WPLUSQT
Aeroshell Oil W 120 Ashless Dispersant	120W55GL
Aeroshell Semi-Synthetic Oil W15-W50	15W50QT
Aeroshell 65 Straight Mineral Oil	80QT
Aeroshell 100 Straight Mineral Oil	100QT

Note: QT= QT Can, 55GL = Drum



Consumables

GREASE AND OILS-Continued AEROSHELL-Continued

Anderol Product	Specification	Part Numbers			
Royco 1 MS	MIL-PRF-83483C	1MS1-75LB			
Royco 11 MS	High Load Gear Lubricant	11MSCTG	11MS35LB		
Royco 13CF	MIL-G-25013E	13CF1-75LB	13CF35LB	13CF400LB	
Royco 22CF	MIL-PRF-81322G#2	22CFCTG	22CF6-5LB	22CF35LB	22CF400LB
Royco 22MS	MIL-G-81827A	22MSCTG	22MS1-75LB	22MS35LB	22MS400LB
Royco 27	MIL-PRF-23827C TYII	27CTG	27-6-5LB	27-35LB	27-400LB
Royco 32	SAE AMS-G-6032	32-1-75LB			
Royco 43	SAE AMS-G-4343C	43-6-5LB	43-35LB	43-400LB	
Royco 44	SAE AMS-2518A	44-1-75LB			
Royco 49	MIL-DTL-23549D	49-35LB	49-400LB		
Royco 64	MIL-G-21164D	64-6-5LB	64-35LB	64-400LB	
Royco 81MS	MIL-L-25681D	81MS1-75LB			
Royco C-201	High Temp Spline Grease	C201-1-75LB			
Royco HF-825	Assembly Paste	825-1-75LB			

Note: CTG= 14 OZ Cartridge, all others are the appropriate weight can, pail or drum



Anderol Product	Specification	Part Numbers			
Royco 308CA	MIL-PRF-32033	308CA1GL	308CA5GL	308CA55GL	
Royco 315	MIL-PRF-3150D	315-5GL	315-55GL		
Royco 363	MIL-PRF-7870C	363-1GL	363-5GL	363-55GL	
Royco 46TF	MIL-L-46150	46TF55GL			
Royco 481	MIL-PRF-6081D	481-5GL	481-55GL		
Royco 482	MIL-PRF-6529 TY II	482-5GL	482-55GL		
Royco 483	MIL-PRF-6529 TY III	483-5GL			
Royco 500	MIL-PRF-23699F (STD)	500-1QT	500-5GL	500-55GL	
Royco 555	DOD-PRF-85734	555-1QT	555-5GL	555-55GL	
Royco 560	MIL-PRF-23699F(HTS)	560-1QT	560-5GL	560-55GL	
Royco 581	MIL-PRF-6529 TY I	581-55GL			
Royco 586L	MIL-PRF-6086E GR L	586L55GL			
Royco 586M	MIL-PRF-6086E GR M	586M5GL	586M55GL		
Royco 602	MIL-PRF-87252C	602-5GL	602-55GL		
Royco 634	MIL-PRF-63460D	634-1GL	634-55GL		
Royco 717	MIL-DTL-17111C	717-5GL	717-55GL		
Royco 756	MIL-PRF-5606H	756-1QT	756-1GL	756-5GL	756-55GL
Royco 756A	MIL-H-5606A	756A1GL			
Royco 757		757-5GL	757-55GL		
Royco 770	MIL-PRF-46170C TY 1	770-5GL	770-55GL		
Royco 777	MIL-PRF-87257B	777-5GL	777-55GL		
Royco 782	MIL-PRF-83282D	782-1QT	782-1GL	782-5GL	782-55GL
Royco 783	MIL-PRF-6083F	783-55GL			
Royco 808	MIL-PRF-7808L	808-1QT	808-55GL		
Royco 885	MIL-PRF-6085D	885-1GL	885-5GL	885-55GL	
Royco 899	MIL-PRF-23699F(C/I)	899-1QT	899-55GL		
Royco 950	MIL-C-7024E	950-5GL	950-55GL		



Consumables

GREASE AND OILS-Continued CASTROL/AIR BP GREASES & OILS

Castrol Products	Specification	Part Numbers			
BRAYCO 236	VV-P-236A	VVP236-1LB	27058AWPC		
BRAYCO 248	MIL-C-11796C, CL 3	27059AECS	27059AEPL		
BRAYCO 300	MIL-PRF-32033	27006AECZ	27006AWDR		
BRAYCO 363	MIL-PRF-7870C	27029AECS	27029AWDR		
BRAYCO 460	MIL-PRF-6081D	27014AWBK	27014AEPL	27014AWDR	
BRAYCO 589	MIL-PRF-8188D	27030AEPL	27030AWDR		
BRAYCO 599	GE D50TF6-S1	27002AECZ	27002AWDR		
BRAYCO 717	MIL-DTL-17111C	27012AWDR			
BRAYCO 785	SOLAR ES9-248-1A	27042AWDR			
BRAYCO 795		27184BWDR			
BRAYCO 885	MIL-PRF-6085D	27021AECZ	27021AWDR		
BRAYCO 922	MIL-C-7024E	27034ATBK	27034AEDR		
BRAYCO AEROPLEX AI	MIL-PRF-23827C TY2	25022BWPL			
BRAYCO MICRONIC 756	MIL-PRF-5606H	27007AWCZ	27007AWPL	27007AWDR	
BRAYCO MICRONIC 776RP		27026AWDR			
BRAYCO MICRONIC 783	MIL-PRF-6083F	27018AWDR			
BRAYCO MICRONIC 881	MIL-PRF-87257B	27020AWDR			
BRAYCO MICRONIC 882	MIL-PRF-83282D	27009AECZ	27009AWDR		
BRAYCO MICRONIC 883	MIL-PRF-46170C TY II	27010AWDR			
BRAYCO MICRONIC 889	MIL-PRF-87252C	27019AEPL	27019AWDR		
BRAYCOTE 194	MIL-PRF-16173E, CL 1, GR 4	27056AEPL			
BRAYCOTE 3214	MIL-PRF-32014A	25113ATCS	25113ATJR	25113ATCN	25113ATPL
BRAYCOTE 610	MIL-PRF-10924G	25026AEPL			
BRAYCOTE 622	MIL-PRF-81322G#2	25042AWPL			
BRAYCOTE 868	MIL-L-25681D	25052AECZ			
CASTROL AERO 35 RED	BMS 3-32 TY I	27069BWDR			
CASTROL AERO 35 YELLOW	BMS 3-32 TY I	27085BWCS	27085BEPL	27085BWDR	
CASTROL AERO 40 RED	BMS 3-32 TY II	27028BEPL	27028BEDR		
CASTROL AERO 40 YELLOW	BMS 3-32 TY II	27027BWCS	27027BEPL	27027BWDR	

Note: CS or CZ = QT, CP = 1LB, BK = GAL, PL = Pail, DR = Drum



Air BP Products	Specification	Part Numbers	
Air BP Turbo Oil 2197	MIL-PRF-23669F (HTS)	2197QT=BP	2197-55GL=BP
Air BP Turbo Oil 2380	MIL-PRF-23669F (STD)	2380QT=BP	2380-5GAL=BP
Air BP Turbo Oil 2389	MIL-PRF-7808L GR 3	2389QT=BP	2389-55GL=BP
Air BP Turbo Oil 25	DOD-L-85734 (AS)	25QT=BP	
Air BP Turbo Oil 274	DEF STAN 91-98/1	274QT=BP	274-55GL=BP



Consumables

GREASE AND OILS-Continued DOW CORNING GREASES AND LUBRICANTS

DC 4 Electrical Insulating-Moisture-Proof, translucent dielectric seal and lubricant -70 to 400F. MIL-S-8660

Part Number	Description	Part Number	Description
DC4-30Z	3 oz tube	DC4-5-30Z	5.3 oz tube
DC4-8LB	8 LB Tub		



DC 5 Compound-Translucent, used to lubricate silver-plated switch contacts. Temp range: -100F to 400F

Part Number	Description
DC5-5-30Z	5.3 oz Tube



DC 33 Grease-Extreme low temp grease with operating range -100F to 350F Light and Medium consistencies

Part Number	Part number	Part Number	Part Number
DC33LIGHT50Z	DC33LIGHT8LB	DC33MED50Z	DC33MED130Z



DC 44 Compound-High temp bearing grease with operating range -40F to 400F
Light and Medium consistencies.MIL-L-15719

Part Number	Part number
DC44LIGHT50Z-30Z	DC44med5-30Z



DC 55 Oring Lubricant-Designed to lubricate Orings in metal parts and pneumatic systems. MIL-G-4343

Part Number	Description	Part Number	Description
DC55MED5-30Z	5.3 oz Tube	DC55MED8LB	8 LB Tub



DC 111 Lubricant-Valve lubricant/sealer in pressure & vacuum systems, pump cocks, packing's

Part Number	Description	Part Number	Description
DC111-50Z	5 oz Tube	DC111-14-10Z	14 OZ Cartridge



DC 340 Heat Sink Compound-Contains heat conductive metal oxides for mounting transistors and diodes.
MIL-C-47113

Part Number	Description	Part Number	Description
DC340-50Z	5 oz tube	DC340-140Z	14 OZ Cartridge
DC340-20LB	20 LB Pail		



DC 3402C MOLYKOTE-Solid lubricants with corrosion inhibitors cures in 2 hours.
Operating range: -352F to 572F. MIL-L-23398

Part Number	Description
DC3402C	1LB Tub



321 Dry Film Lubricant-A dispersion of MoS₂, graphite & resin in a solvent.
Cures to a dry lube film with operating range -325F to 824F

Part Number	Description	Part Number	Description
321	Aerosol	321-3-6KG	3.6 KG Tub

D-321R-High performance air-curing dry lubricant for metal/metal
combinations under high load, high stress and extreme temps

Part Number	Description
DC321R	16 OZ Spray

DC 557 Silicone Spray-MolyKote dry film lubricant is colorless, reduces friction and is easy to
apply for general purpose applications.

Part Number	Description
DC557-110Z	11 OZ Spray



G-N Metal Assembly-Multi-purpose paste or spray with molybdenum disulfide
Temp range: 0F to 750F

Part Number	Description	Part Number	Description
GNPASTE	8 oz tube	GNPASTEPT	1LB Can
GNMETALX100Z	Spray		



Consumables

GREASE AND OILS-Continued DOW CORNING GREASES AND LUBRICANTS-Continued

G Rapid Plus-Paste or spray with very low friction coefficient for press fit or running in lubrication.

Temp range; -31F to 842F

Part Number	Description	Part Number	Description
DC4045666	13.5 OZ Spray	DC4045299	10 OZ Paste



M77 Moly Paste-Similar to G-N Paste but with silicone added for paste consistency over a wide temp range: -50F to 450F

Part Number	Description	Part Number	Description
M77-80Z	8 OZ Tube	M77	2 LB Can



DC3400A Corrosion Protective-Useful in applications where corrosion protection and dry lubrication are needed. MIL-L-46010

Part Number	Description
DC3400A	2 LB Can



Z Moly Powder-Highly purified molybdenum disulfide. Temp range: -375F to 750F.

Exceeds MIL-M-8766

Part Number	Description
LUB0MOLYPOWER	2 LB Can



EXXON GREASES AND OILS

Exxon EE Oil-Ashless dispersant premium quality oil. SAE J1966 Approved

Part Number	Part number	Part Number
EE80QT	EE100QT	EE120QT
EE80-55GL	EE100-5GL	EE120-55GL



Exxon Elite Oil-Ashless dispersant super premium oil Grade 20W50. SAE J1966 Approved

Part Number	Part number
EILITE20W50QT	ELITE20W50-55GL

Aviation Oil-Non-dispersant Mineral based oil. SAE J1966 Approved

Part Number	Part number	Part Number
100QT	100-55GL	120QT
120-5GL	120-55GL	



MOBIL GREASES AND OILS

Mobil 28 Grease-For lubrication of bearings at low to high speeds. MIL-G-3545, MIL-G-7711

Part Number	Description	Part Number	Description
MOBIL28CTG	14 oz	MOBIL28-4-4LB	4.4 LB Can
MOBIL28-35LB	35 LB Pail		



SHC100 Aviation Grease-Supreme performance for high speed heavy load applications.

Recommended by most manufactures for wheel bearings

Part Number	Description	Part Number	Description
SHC100AVI4-4LB	4.4 LB Can	SHC100AVI35-2LB	35.2 LB Pail



Mobil Jet II Turbine Oil-Outstanding thermal and oxidative stability. MIL-PRF-23699 Approved

Part Number	Description	Part Number	Description
MOBILJETIIQT	QT	MOBILJETII5GL	Pail
MOBILJETII55GAL	Drum		



Mobil Jet 254 Turbine Oil-Third generation synthetic oil with special additives. MIL-PRF-23699 Approved

Part Number	Description	Part Number	Description
MOBIL254QT	QT	MOBIL254-55GAL	55 Drum

Consumables

GREASE AND OILS-Continued SKYDROL FIRE RESISTANT HYDRAULIC FLUID

Skydrol Fire-Resistant Hydraulic Fluid-TYPE IV -Boeing BMS3-11, Airbus NSA307110, Douglas DMS2014, Lockheed LAC C-34-1224, SAE AS1241

Part Number	Part Number
LD4QT	LD4GL
LD4-5GL	LD4-55GL

Part Number	Description	Higher weight, higher flashpoint than LD4
500B4QT	QT	
500B4GL	GAL	
500B4-5GL	PAIL	

TYPE V		SKYDROL 5		Lighter weight, more thermally stable than Type IV Fluids			
Part Number		Description		Part Number		Description	
SKY5QT		QT		SKY5GL		GAL	
SKY5-5GLPail		SKY5-55GL		Drum			



KRYTOX AEROSPACE LUBRICANTS

Krytox Aerospace

Designed to lubricate and provide corrosion resistance in reactive environments including Oxygen systems. Krytox is chemically inert and non-flammable -- even in 100% liquid or gaseous oxygen. Thermally stable and non-oxidizing, Krytox offers superior performance. (Sizes larger than tubes are also available)

Krytox 240 (MIL-PRF-27617)		Krytox 250			
Type I	Type II	Type III	Extreme Pressure 5% Molybdenum Disulfide		
240AZ20Z	240AB20Z	240AC20Z	250AC20Z	N/A	250AZ20Z 2 OZ TUBE
240AZ80Z	240AB80Z	240AC80Z	250AC9-80Z	250AD80Z	250AZ80Z 8 OZ TUBE

Krytox 283

Anti Corrosion with 5% Sodium Nitrate

283AB20Z	283AC20Z	283AD20Z	283AZ20Z	2 OZ TUBE
283AB80Z	283AC80Z	283AD80Z	283AZ80Z	8 OZ TUBE



LPS LUBRICANTS/PENETRANTS

LPS 1-Greaseless dry thin film displaces water

Part Number	Description	Part Number	Description
00116	11 OZ Aerosol	00122	20 oz Trigger
01128	GAL		

LPS 2-Multi purpose lube & Penetrant. Oily film

Part Number	Description	Part Number	Description
00216	11 OZ Aerosol	00222	20 oz Trigger
02128	GAL		

Dry Film Silicone-Non-flammable for high temps, ideal for molded parts release. Colorless

Part Number	Description
01616	12 OZ Aerosol

Dry Film PTFE-Non-flammable for high temp mold release. Can be painted after application

Part Number	Description
02616	12 OZ Aerosol

Wet Film Silicone-Water based formula is ideal for rubber & plastic

Part Number	Description	Part Number	Description
01516	13 OZ Aerosol	01505	5 GAL



Consumables

GREASE AND OILS-Continued LPS LUBRICANTS/PENETRANTS-Continued

Wet Film PTFE

Magnum minimizes friction & displaces water in extreme conditions

Part Number	Description	Part Number	Description
00616	11 OZ Aerosol	00605	5 GAL

Wet Film PTFE

Magnum minimizes friction & displaces water in extreme conditions

Part Number	Description	Part Number	Description
02316	13 OZ Aerosol	02301	GAL

Force 842 Dry Moly

Prevents seizing, with Molybdenum Disulfide Quick Drying, thin film

Part Number	Description
02516	11 OZ Aerosol

TREAD SEALANT

Product	Part Number	Package Size	Color	Notes
565	56531	50 ml bottle	White	Controlled Strength
567	56747	50 ml bottle	White	Hi Temp
577	21456	50 ml bottle	White	Medium Strength
579	57941	250 ml bottle	White	Instant Seal
	39904	1/2 in X 520 in	White	Seal Tape (MIL-T-27730)
	37127	19 gm stick	White	QuickStix Semi-Solid

TREADLOCKERS

	Product	Part Number	Package Size	Color	Notes
Low Strength Remove with hand tools. Small fasteners up to 1/4 in	222	21463	10 ml	Purple	
		21464	50 ml	Purple	
	222MS	22205	0.5 ml capsule	Purple	MIL-S-46163A
		22221	10 ml bottle	Purple	
		22231	50 ml bottle	Purple	
		22241	250 ml bottle	Purple	
Medium Strength Remove with hand tools	242	24205	0.5 ml capsule	Blue	up to 3/4 in bolts
		24221	10 ml bottle	Blue	
		24231	50 ml bottle	Blue	
		24241	250 ml bottle	Blue	
	243	23977	0.5 ml capsule	Blue	up to 3/4 in bolts
		24077	10 ml bottle	Blue	oil resistant
		24078	50 ml bottle	Blue	
		24079	250 ml bottle	Blue	
	246	29513	10 ml bottle	Blue	Hi Temp, up to 450F
		29514	50 ml bottle	Blue	
		29515	250 ml bottle	Blue	
	248	37684	9 gm stick	Blue	QuickStix
		37087	19 gm stick	Blue	Semi-Solid



Consumables

TREADLOCKERS-Continued

	Product	Part Number	Package Size	Color	Notes
High Strength For permanent assembly; localized heat & hand tools for disassembly	262	26205	0.5 ml capsule	Red	up to 3/4 in bolts
		26221	10 ml bottle	Red	MIL-S-46163A
		26231	50 ml bottle	Red	
		26241	250 ml bottle	Red	
	266	26772	10 ml bottle	Red	Hi Temp, up to 450F
		26773	50 ml bottle	Red	up to 3/4 in bolts
		26774	250 ml bottle	Red	
	268	37685	9 gm stick	Red	QuickStix
		37686	19 gm stick	Red	Semi-Solid
	271	27105	0.5 ml capsule	Red	up to 1 in bolts
		27121	10 ml bottle	Red	
		27131	50 ml bottle	Red	
		27141	250 ml bottle	Red	
	272	27240	50 ml bottle	Red	Hi Temp, up to 450F
		27270	250 ml bottle	Red	up to 1 in bolts
	277	21434	10 ml bottle	Red	Large Bolts
		27731	50 ml bottle	Red	up to 1 1/2 in bolts
		27741	250 ml bottle	Red	
Wicking Grade Low Viscosity uses capillary action to secure assembled fasteners	2760	32526	10 ml bottle	Red	Primer less, fast curing
		32525	50 ml bottle	Red	
		32527	250 ml bottle	Red	
	220	37388	10 ml bottle	Blue	Medium Strength
		39186	50 ml bottle	Blue	up to 1/4 inch bolts
		22041	250 ml bottle	Blue	
	290	29005	0.5 ml capsule	Green	Medium Strength
		29021	10 ml bottle	Green	up to 1/2 inch bolts
Primer Speeds the cure and is ideal for curing below room temperature		29031	50 ml bottle	Green	
		29041	250 ml bottle	Green	
	294	27935	10 ml bottle	Green	Hi Temp, up to 450F
		27936	50 ml bottle	Green	oil resistant
		27937	250 ml bottle	Green	up to 1/2 inch bolts
	7649N	19269	1.75 fl oz glass bottle		
		38402	1.75 fl oz alum. bottle		
		21347	25 gm aerosol can		



RETAINING COMPOUNDS

	Product	Part Number	Package Size	Color	Notes
Close Fitting Parts Up to 0.010 inch gap	603	21440	10 ml bottle	Green	Oil Resistant
		21441	50 ml bottle	Green	
		21442	250 ml bottle	Green	
	609	60905	0.5 ml capsule	Green	Medium Strength
		60921	10 ml bottle	Green	Oil Resistant
		60931	50 ml bottle	Green	
		60941	250 ml bottle	Green	
	640	64031	50 ml bottle	Green	Hi Temp 450F
		64041	250 ml bottle	Green	
	648	21443	10 ml bottle	Green	High Strength 5 min fixture
		21444	50 ml bottle	Green	Oil Resistant
		21445	250 ml bottle	Green	
	668	39147	9 gm stick	Green	QuickStix
		39148	19 gm stick	Green	Semi-Solid
		39149	39 gm stick	Green	
	675	67541	250 ml bottle	Green	High Strength 20 min fixture



Consumables

MISCELLANEOUS PRODUCTS AND TOOLS-Continued

COTTON SWABS

Part Number	Description
883506	Cotton Swab, 6"-100/Pack

DEODORANTS

Flight Fresh-Deodorant discs for Lavs, Galleys, Interiors, 25/Case

Part Number	Description	Part Number	Description
SD5500K	Fruit Basket	SD5500M1	Lime
SD550R	Caribbean	SC5500U	Fresh Breeze
SD550V	Lemon		

Sani-Pak Lav Deodorant- Available in concentrated blend recommended for pretreatment processes. 1 part to 640 parts water.

Part Number	Description	Part Number	Description
SP97000QTA	Quart	SP97000-55B	Drum

Sani-Pak Lav Deodorant-Non-Staining, blue color pre-measured packets for recirculating system & holding tanks.

Part Number	Description	Part Number	Description
SP77006	6 Gram	SP77008	8 Gram
SP77080	80 Gram		

Sani-Scide Disinfectant-One step disinfectant, fungicide, deodorizer, mildew stat virucide and hard surface cleaner r


Part Number	Description	Part Number	Description
LSSCIDE1	6 oz 12/CS	LSSCIDEQT	Quart
LSSCIDEAL	Gallon		

EZY-OUT SCREW EXTRACTORS

Part Number	Description	Part Number	Description
192-1	#1 for Screws 3/16-1/4	192-2	#2 for Screws ¼-5/16
192-3	#3 for Screws 5/16-7/16	192-4	#4 for Screws 7/16-9/16

FLAGS, STATIC WICK

Part Number	Description
7101-5	Static Wick Flag 5/16" for Dayton Granger 15330-3/Pk
7101-6	Static Wick Flag 1/8" for Dayton Granger 16920-3/Pk
8808-7	Static Wick Flag 1.25" for Dayton Granger 16305-3/Pk



Consumables

MISCELLANEOUS PRODUCTS AND TOOLS-Continued

SPIRAL WRAP, TEFLON

Spiral Wrap, Teflon SWT

Expandable, highly flexible wrap for harnessing wires, cables, hoses and other bundles. Chemical resistant and low friction reduces chafing. Part numbers begin with "SWT" followed by diameter in fractions of an inch: "1-8" for example. Then a three letter color such as "BLK" for black. In 25 and 100 ft lengths



SYRINGES (NO NEEDLE)

Syringes (No Needle)-Useful for withdrawing or filling a variety of fluids during servicing.

Part Number	Part Number	Part Number	Part Number
SYRINGE10CC	SYRINGE20CC	SYRING30CC	SYRING60CC



TAMPERGUARD

EC-1252 TamperGuard-Exposed surface accepts ink within 20 seconds. Fast Drying, White color

Part Number	Description
021200-20193	5 OZ Tube



TORQUE SEAL

F900 Torque Seal- Use to detect tampering and vibration loosening of stud, nuts and fittings.

Available in many colors

Part Number	Description
F900XXXX	½ OZ Tube



~~TIRE SHOP TOOLS AND HYDRAULIC GAUGES~~

~~HYDRAULIC AND SHOCK STRUT GAUGES~~

Hydraulic Shock strut Gauges-For aircraft tires and hydraulic shock struts, inflates, deflates, and gauges. Screw type-locking chuck part number 9043, securely attaches to valve. Inflate through side inlet tank valve. Drain cock for bleeding pressures. Gauges area accurate to within 2%, -1%, -2% of total dial range. All gauges have recalibration screws to permit adjustments.

Extensions 331, 356 and 349 packed with 8874

Part Number	Description
8875	Dial Range 0-1500 PSI Standard Bore
356	Extension 1.38 Effective Length



8875

Part Number	Description
8876	Dial Range 0-3000 PSI Standard Bore

AIRCRAFT TIRE PRESSURE GAUGES

Part Number	Description
8844	Dial Range 0-400 PSI (0-2800kPa) Length 18"
8844-B	Same as 8844 except packed with 3 Extensions. Dill part numbers 347, 356, 349



8844-B

Part Number	Description
8885	Dial Range 0-200 PSI (0-1400kPa) Length 18"




8810J

DIAL TIRE GAUGES

Part Number	Description
8810H	(0-100 PSI) (0-700 kPa) 1 PSI (10kPa) Increments Tractor Air/Liquid gauge Non-Corrosive 7" hose with swivel chuck

Part Number	Description
8810J	(0-160PSI) (0-1100kPa) 2 PSI (10 kPa) Increments Dual chuck, 14" flexible hose with straight chuck, Non-Corrosive



8874

Health and Safety Products



3M 8210 N95 Disposable Particulate Respirator

The economical, lightweight 8210 Particulate Respirator is excellent for light and general duty dust applications. Advanced Electret Media and an adjustable noseclip make it cool and comfortable with a custom fit and a secure seal. Meets 42 CFR84 standard.

428210=8S

RESPIRATOR MASK; N95 3M 8210 20 PER BOX

BX



3M R95 Particulate Respirator With Nuisance Level Organic Vapor Relief

Use the 3M™ 8247 R95 Particulate Respirator with 3M™ recommended nuisance level organic vapor relief, in environments where particles are present with concentrations of organic vapors below the OSHA PEL. Certified to provide at least 95% efficiency against solid and liquid particles, including oils. Meets 42 CFR84 standard.

428247=8S

RESPIRATOR MASK; R95 3M 8247 20 PER BOX

BX

Health and Safety Products



Dalloz Willson® ValuAir® Half Mask Respirator, Model 6100V

The ValuAir® Plus offers unsurpassed comfort in a disposable/reusable respirator. Perspiration port drains excess moisture off face, reducing slippage and skin irritation. Soft sealing flange with rolled edge increases wearer comfort and fit. Low profile design for use with eyewear. Use with Willson® Premier 6000 Series cartridges available ten per box.

14140146=8S

RESPIRATOR, HALF MASK SZ MED VALUAIR PLUS 6100V

EA

14190035=8S

CARTRIDGE, T04 AMMONIA/METHYLAM

BX

14190036=8S

CARTRIDGE, T05 ORG. VAPOR/ACID G

BX

14190038=8S

CARTRIDGE, T06 ACID GAS, FORMALD

BX



Dalloz Willson® Saf-T-FIT® N95 Disposable Respirator With Nose Seal & Exhalation Valve

The N9520 series is ideal for hot environments that require protection against particulate aerosols free of oil, such as foundries and steel mills. An exhalation valve lowers hot air build-up and breathing resistance.

440122BX=8S

RESP, WILLSON MED N1125 (N95)

BX

Health and Safety Products

Fire Extinguishers H3R & Supplies



Model C352TS

- Upright squeeze grip operation
- Brass, chrome plated valves
- High strength dot steel cylinders
- "Industrial" quality metal valves and siphon tubes
- Low temperature operation to -65° F
- Large easy to read pressure gauges

Safe and Easy to Use

- Colorless, odorless, and non staining
- Compact, lightweight and easy to operate
- Non corrosive and nonconductive
- No impairment of operator's vision
- Effective on chemical fires & flammable liquids

Regulations & Servicing

- Tested to ANSI/UL 711 & 1093. UL listed
- 6 year maintenance, and 12 year hydrostatic test per NFPA 10, Chapter 4

Fire Extinguisher List

1211C23=8S	HOSE AND ADAPTER	EA
361=8S	4A:80B:C 17.0LB HALON 1211	EA
361-17LB=8S	17LB,4A:80B;C. HALON 1211 F/E	EA
372=8S	20 LB FIRE EXTINGUISHER	EA
4104000K=8S	FIRE EXTINGUISHER	EA
420118K=8S	MT BRACKET MB15 420118K	EA
49-0054=8S	30D WAND	EA
49-0058A=8S	6 45 DEG CARGO BAY F/E WAND	EA
570=8S	FIRE EXTINGUISHER 30LB CLASS D	EA
600=8S	150 LB HALON 1211 WHEELED F/E	EA
600REC=8S	HALON1211 30A:280B:C	EA
674=8S	150 LB HOLOTRON 1 WHEELED F/E	EA
809=8S	BRACKET FOR B369, B371	EA
810=8S	BRACKET FOR 361	EA
817=8S	BRACKET, MOUNTING RED	EA
845=8S	BRACKET FOR A344T	EA

Health and Safety Products

FIRE EXTINGUISHER-CONTINUED

896698R=8S	MT BRACKET MB15 420118K	EA
A1600=8S	3.5LB, 1A:5B:C HALON 1211(1/10)	EA
A1600BKT=8S	BRACKET	EA
A344T=8S	1.3LB,2B:C, HALON 1211 F(1/20)	EA
A344TC=8S	1.3LB,2B:C,HALON 1211 F/(1/10)	EA
B355T=8S	5LB,10B:C, HALON 1211 F/E(1/6)	EA
B369=8S	9.0LB,1A:10B:C,HALON 1211(1/2)	EA
B371=8S	13LB,2A:40B:C HALON 1211	EA
B394TS=8S	5.5LB, 5B:C HOLOTRON 1 F/(1/6)	EA
BK600=8S	BRACKET	EA
BKT-1600BH=8S	BRACKET	EA
C352TS=8S	2.5LB,5B:C, HALON 1211 F(1/10)	EA
C352TSC=8S	2.5LB,5B:C,HALON 1211 F/(1/10)	EA
C354TS=8S	3.0LB,5B:C,HALON 1211 F/(1/10)	EA
H3RTS=8S	TAMPER SEALS	EA
KIDDE210D=8S	4104000EXT (1/6)	EA
KIDDE420119=8S	BRACKET	EA
KIDDE440160=8S	5:BC FIREX	EA
RTA1200=8S	2.6LB,5B:C,HALON 1211-13(1/12)	EA
RTA400=8S	0.9LB,2B:C,HALON 1211-13(1/32)	EA
RTA600=8S	1.3LB,2B:C,HALON 1211-13(1/24)	EA
RTA600BRACKET=8S	BRACKET	EA

First Aid Kits and Supplies

DME First Aid Kits

AIRLINE FIRST AID KIT



COMPLIES WITH FAR PART 121 APPENDIX 'A' REQUIREMENTS

Airline First Aid Kit (AFAK)

The contents within the kit meet all of the requirements of FAR Part 121, Appendix A and Part 135 rules for small aircraft that must comply with Part 121.

S6-01-0005-306=2P

FIRST KIT; 8130-3 EXEMPT

EA

S6-01-0005-306E=2P

FIRST KIT; 8130-3 EXEMPT

EA

Health and Safety Products



SUFK Survival Kits

These are vacuum sealed, waterproof, emergency survival kits, available with standard design configurations or customized contents.

DME Survival Kit Refill

Aviall Part Number	Description	UOM
DME63762-101=2P	SURVIVAL KIT	EA
A2-05-0040-000=2P	TAPE FOAM	EA
A2-10-0002-101=2P	CANTEEN ASSY; 1 PT. WRAPPED	EA
A2-10-0002-102=2P	CAN ASSY	EA
A2-10-0002-103=2P	NO LONGER AVAILABLE	EA
A2-10-0015-101=2P	AMMONIA IN	EA
A2-10-0016=2P	BURN OINT	EA
A2-10-0020=2P	EYE OINT	EA
A2-10-0028-101=2P	SUR KNIFE	EA
A2-10-0033-101=2P	SEADY MARK	EA
A2-10-0037-101=2P	WATER PURF (1 BOTTLE OF 50)	EA
A2-10-0075=2P	TAPE	EA
A2-10-0076-101=2P	SUC CANDY	EA
A2-10-0092=2P	SWAB	EA
A2-10-0130-001=2P	WATER BAG	EA
A2-10-0136=2P	TABLETS DIMINHYDRINATE	EA
S6-01-0014=2P	F/A KIT	EA
S6-06-0002=2P	8130-3 EXEMPT REPLACEMENT KITS	EA
S6-06-0003=2P	8130-3 EXEMPT PELACEMENT KIT	EA
S6-06-0013=2P	BASE KIT	EA
S6-06-0015=2P	REPLAC KIT	EA
S6-06-0025=2P	FAA APPROVED SURVIVAL KIT	EA
S6-06-0026=2P	SURVIVAL KIT	EA
S6-06-0030-002=2P	SURVIV KIT	EA
S6-06-0038=2P	REPL MODUL	EA
S6-06-0039=2P	BASE MODUL	EA
S6-06-0044=2P	FAA APPROVED SURVIVAL KIT	EA
S6-06-0045=2P	8130-3 EXEMPT BASE MODUL	EA
S6-06-0046=2P	8130-3 FIRST AIDKIT	EA
S6-06-0049=2P	SURV KIT	EA
S6-06-0053=2P	BASE MODUL	EA
S6-06-0087=2P	REPL MODUL	EA
S6-06-0088=2P	SURVI KIT	EA
S6-06-0089=2P	BASE MODUL	EA

Health and Safety Products

S6-06-0093=2P	REPLAC KIT	EA
S6-06-0101=2P	BASE MODUL	EA
S6-06-0102=2P	8130-3 EXEMPT SURVIVAL KIT	EA
S6-06-0103=2P	REPL MODUL	EA
S6-06-0118-001=2P	FLARES 2PK	EA
S6-06-0127=2P	REPLACEMENT MODULE	EA
S6-06-0129=2P	REPLACEMENT MODULE	EA
S6-06-0131=2P	REPLACEMENT MODULE	EA



First Aid Kits

149925=8S	SURVIVAL KIT, IND.	EA
24004=8S	KIT,EMERGENCY RESPONSE CUSTOM	EA
70001-00=8S	AID KIT	EA
70002-00=8S	AID KIT	EA
70003-00=8S	1ST AID KIT (1/20)	EA
70004-00=8S	AID KIT	EA
70042-01=8S	ADHESIVE T	EA
SH4-15-1019=8S	1ST AID ANTISEPTIC SPRAY 3-OZ	EA
SH4-34-400EF=8S	1ST AID CABINET (EMPTY)	EA
SH4-34-8010=8S	1ST AID POCKET INSERT #400	EA

First Aid Kit Refill Items

010050=8S	BANDAGE 1X3" PLASTIC 100EA/BX	EA
010050SINGLE=8S	BANDAGE 1X3" PLSTC EACH	EA
021200-04585=8S	TAPE, 5702 2INCHX36YD	EA
1010973=8S	HYGIENE KIT	EA
11604=8S	BACK SUPPORT LRG PROFLEX W/	EA
140175=8S	AQUA TABS (50 PER BOTTLE)	EA
14233P=8S	METAL WHISTLE W/LAYNARD	EA
161512=8S	ASPIRIN 325MG 2EA/PK 125PK/BX	EA
161512-2PACK=8S	ASPIRIN 325MG 2EA/PK	EA
2851592=8S	OIL CASTOR 2 OZ	EA

Health and Safety Products

P2-07-0012-001=2P
P2-07-0013-002=2P
P2-07-004-201=2P

FLASHLIGHT W/O BATTERY
FLASHLIGHT
BRACKET ASSY

EA
EA
EA

3M Flashlights



3M™ Fiber Optic Lighting


High intensity, fiber optic, flexible fiber designed for attachment to either Streamlight® or Mini-mag flashlights. Used for illuminating hard-to-reach areas with directed light.

051131-09100=27
051131-09101=27
051131-09102=27
051131-09104=27
051131-09105=27

ADAPTER; MINI MAG FIBER OPTIC
FLASHLIGHT; SYS FIBER OPT 7IN
ADAPTER; FLASHLIGHT HI INT FIBER OPT
FLASHLIGHT; SYS FIBER OPT (1/6)
ADAPTER; 12 FLASHLIGHT HI INT (1/6)

EA
EA
EA
EA
EA

Maglights



S2D016=1Q
S3D016=1Q
S6D016=1Q
S2C016=1Q
S3C016=1Q
S2D015=1Q
S4D015=1Q
S5D015=1Q

MAG-LITE 2 D CELL BATTERY
MAG-LITE 3 D CELL BATTERY
MAG-LITE 6 D CELL BATTERY
MAG-LITE 2 C CELL BATTERY
MAG-LITE 3 C CELL BATTERY
MAG-LITE 2 D CELL BATTERY
MAG-LITE 4 D CELL BATTERY
MAG-LITE 5 D CELL BATTERY

EA
EA
EA
EA
EA
EA
EA
EA

Health and Safety Products

S3C015=1Q	MAG-LITE 3 C CELL BATTERY	EA
S4C015=1Q	MAG-LITE 4 C CELL BATTERY	EA
M2A016=1Q	MINI MAG LIGHT 2 AA BATTERIES	EA
M2A01C=1Q	MINI MAG-LITE 2 AA BLACK COMBO PACK	EA
M2A01H=1Q	MINI MAG-LITE 2 AA HOLSTER PACK	EA
M3A012=1Q	MINI MAG-LITE (PRES. BOX) BLACK	EA
LM2A001=1Q	LAMP, MINI MAG LITE (HALOGEN LAMP) FOR USE WITH 2AA OR 3AAA	2 PK
LMSA201=1Q	LAMP, MINI MAG-LITE, 2CELL, XENON	2 PK
LMSA301=1Q	LAMP, MINI MAG-LITE, 3CELL, XENON	2 PK
LMSA401=1Q	LAMP, MINI MAG-LITE, 4CELL, XENON	2 PK
LR00001=1Q	LAMP, MAG LIGHT	EA
LWSA201=1Q	LAMP, MAG LIGHT, 2 CELL KRYPTON	EA
LWSA301=1Q	LAMP, MAG LIGHT, 3 CELL KRYPTON	EA
LWSA401=1Q	LAMP, MAG LIGHT, 4 CELL KRYPTON	EA

Bright Star Flashlights



2495=78	LT/RED WAND	EA
2496=78	FLASHLIGHT W/ WAND 3 D CELL	EA
2548=78	FLASHLIGHT W/ WAND 2 D CELL	EA

Flashlights Misc

PEL-2000BYEL=8S	PELICAN SUPER SABRELITE 7 13/1	EA
PEL2004LAMP=8S	SABRELITE 3-"C" LAMP 960253	EA
PEL2020BYEL=8S	FLASHLIGHT LED	EA
PEL-2410CYLW=8S	LIGHT RECOIL SELF YELLOW LED	EA
PEL2600C=8S	FLASHLIGHT HEAD UP BLK KRYPTON	EA

Health and Safety Products

Hand Protection

Gloves



North Safety Shoulder Length Gauntlet

Dipped Nitrile on Interlock Knit Liner, elastic sleeve closure, 24 inches total length

NK803ES10=8S

GLOVE SHOULDER, NITRILE(1/6)

PR



HyFlex® Foam Knit-Lined, Dipped, Color-Coded Cuff For light foam assembly applications, HyFlex Foam provides your workers with the highest level of comfort and protection. The patented foam coating is resistant to snags and abrasions, and it provides excellent grip in light oil applications by channeling the oil away from the glove surface.

11-800-10=8S

GLOVE FOAM #10, PAIR

EA

11-800-8 =8S

GLOVE FOAM #8


PR

11-800-9 =8S

GLOVE FOAM #9

PR

Health and Safety Products



Nitri-Flex™ and Nitri-Flex™ Lite Nitrile coated gloves offer maximum wear and excellent cut, puncture and abrasion resistance and on the Nitri-Flex™ style it features a two piece, 100% cotton interlock liner for comfort, flexibility and dexterity. Nitri-Flex™ Lite is best used in electronics, small parts assembly, light applications, good grip and resistance to oil and abrasions. Nitri-Flex™ is an economically versatile alternative to cotton and lightweight leather gloves. Nitri-flex™ is launderable for added value and features a textured grip for safety and ease of handling. Gloves are color coded for easy size identification and pairing.

4500-08=8S	GLOVE, NITRI-FLEX #8	PR
4500-09=8S	GLOVE, NITRI-FLEX #9	PR
4500-10=8S	GLOVE, NITRI-FLEX #10	PR



Ansell Touch N' Tuff™ 9-1/2" Disposable Nitrile Glove

Disposable, 4 mil nitrile Touch N Tuff® glove provides excellent dexterity and sensitivity with outstanding snag, puncture and chemical splash protection. A 9-1/2 mil rolled, beaded cuff adds strength and tear resistance. Contains no natural rubber latex. 100 per box.

Lightly Powdered

783160=8S	GLOVE; NITRILE; SMALL	PR
783161=8S	GLOVE; NITRILE; MEDIUM	PR
783162=8S	GLOVE, ANE92-500	PR
783163=8S	GLOVE; NITRILE; X-LARGE	PR

Health and Safety Products

Powder-Free

783176=8S	GLOVE NITRILE SML; POWD FREE	PR
783177=8S	GLOVE NITRILE MED; POWD FREE	PR
783178=8S	GLOVE NITRILE LARGE; POWD FREE	PR
783179=8S	GLOVE NITRILE XLG; POWD FREE	PR
783182=8S	GLOVE, NITRIL POWDER FREE SM	PR
783183=8S	GLOVE, NITRIL POWDER FREE MD	PR
783185=8S	GLOVE ANE92-675L	PR
783188=8S	GLOVE, NITRIL POWDER FREE XL	PR




**Ansell Chemi-Pro® Glove With Diamond Embossed Grip
Blue Neoprene over Yellow Natural Latex, Model 224.**

A unique dipping process which combines neoprene over natural rubber latex provides increased protection against a wide range of chemicals. The gloves are 27 mil thick for extra ruggedness and durability, and the 13" length is longer than most standard gloves for added forearm protection. A recessed diamond-embossed pattern provides added grip on wet or dry surfaces, while a cotton flock lining absorbs perspiration and increases worker comfort.

780222=8S	GLOVE; CHEMI-PRO #7	PR
780223=8S	GLOVE; CHEMI-PRO #8	PR
780224=8S	GLOVE; CHEMI-PRO #9	PR

Health and Safety Products



Ansell Conform® Disposable Latex Gloves

An ambidextrous disposable latex glove that offers the highest degree of dexterity. Conform® gloves are available powder free and lightly powdered with natural, absorbable cornstarch for easy on and off. They are cooler than vinyl for added worker comfort. Made with FDA accepted materials for use in food processing and extremely resistant to most chemicals. 5 mil., 9-1/2" length.

Lightly Powdered, Model 69-210

782338=8S	GLOVE LATEX SMALL 100/BX	PR
782339=8S	GLOVE LATEX MED 100/BX	PR
782340=8S	GLOVE LATEX LARGE 100/BX	PR
782346=8S	GLOVE LATEX XL 100/BX	PR

Powder Free, Model 69-318

790661=8S	GLOVE; POWDER FREE; SMALL	PR
790662=8S	GLOVE; POWDER FREE; MEDIUM	PR
790663=8S	GLOVE; POWDER FREE; LARGE	PR
790664=8S	GLOVE; POWDER FREE; X-LARGE	PR




Radnor® 9oz Brown Jersey Glove With Knitwrist

Radnor® Brown Jersey Gloves - Soft Knit Fabric Stretches To Workers' Hands For Perfect All-Purpose Gloves. Clute Cut For A Comfortable Fit, 9 Ounce Brown Jersey Glove Features A Knitwrist.

64057132=8S	GLOVE, BROWN MEDIUM(1/144)	PR
64057133=8S	GLOVE, BROWN LARGE (12/144)	PR

Health and Safety Products



Radnor® Knitwrist Cotton Work Gloves With Black PVC Dots

Model 64057125

Dotted Canvas Gloves give workers the comfort and durability of soft cotton canvas. Heavy-duty, 10oz. cotton canvas with plastic dots on palm improve wet and dry grip. Sold per pair.

710520=8S

GLOVE; WORK; LARGE

PR

710521=8S

GLOVE; WORK; MEDIUM

PR



710410=8S


GLOVE, COTTON XSMALL 12PR/PK

PR

710414=8S

GLOVE, COTTON XLG 12PR/PK

PR



Microflex® Diamond Grip™ Natural Rubber Latex Non-Sterile Beaded Cuff Glove

Ambidextrous Powder-Free

Diamond Grip™ Powder-Free Latex Exam Gloves

Comfortable and durable 7 mil latex exam gloves provide excellent performance. Diamond Grip™ Gloves feature a textured surface for superior wet and dry gripping. Powder-free. Ambidextrous. Non-sterile. 100 gloves per dispenser box. Sold per box.

MF300L=8S

GLOVE, DIAMOND GRIP LRGE100/BX

PR

MF300M=8S

GLOVE, DIAMOND GRIP MED100/BX

PR

MF300S=8S

GLOVE, DIAMOND GRIP SML 100/BX

PR

MF300XL=8S

GLOVE, DIAMOND GRIP XLRG100/BX

PR

Health and Safety Products



North Silver Shield™ /4H® Glove Unlined 2.7 Mil Thickness Size 10

North Silver Shield™/4H® Gloves protect against more than 280 chemicals with a patented 5-layer laminate of high-energy polymer (EVOH) and a low-energy polymer (PE) compacted into a 2.7mil thickness. This excellent chemical protection and lightweight flexibility make Silver Shield™/4H® Gloves ideal for chemical and petroleum laboratories, spill cleanups, hazmat control and photo finishing. They do not contain chemical accelerators that can cause allergic reactions. These gloves are ambidextrous and can be worn alone. Tested according to ASTM F739-91 standards and are EN certified CE 0120.

SSG10=8S	GLOVE SILVR 10 PR/PK, CHEM RES	PR
SSG11=8S	GLOVE SLIVR, CHEM RES SIZE 11	PR
SSS=8S	GLOVE, SHOULDER LENGTH SILVER	PR



SafeGrip™ Powder-Free Latex Exam Gloves SafeGrip™ gloves provide extra protection in hazardous environments. This 12 mil glove has extra thickness at the fingertips of over 5 times the ASTM standard. Added tensile strength makes the SafeGrip™ extra durable. An extended, beaded cuff of 295mm provides greater protection over the wrist. Textured. Powder-Free. Ambidextrous. Non-sterile. 50 gloves per dispenser box

SG375L=8S	MICROFLEX SAFEGRIP LG	PR
SG375M=8S	MICROFLEX SAFEGRIP MED	PR
SG375XL=8S	MICROFLEX SAFEGRIP XL	PR

Health and Safety Products


Hand Protection Gloves-Complete list

11-800-10=8S	GLOVE FOAM #10, PAIR	PR
11-800-9=8S	GLOVE FOAM #9	PR
1880M=8S	GLOVES MERALGUARD HEAVYWEIGHT	PR
3110M=8S	GLOVES MED BROWN	PR
3250L=8S	GLOVE GRAIN LEATHER LARGE SZ	PR
3250M=8S	GLOVE GRAIN LEATHER MEDIUM SZ	PR
34-725L=8S	GLOVE, VINYL POWDER FREE LARGE	PR
35-112L=8S	GLOVE, POLY FOODGRADE LARGE	PR
35-112M=8S	GLOVE, POLY FOODGRADE MED	PR
37-185-10=8S	GLOVE 18 (ANSELLANE37-185-10)	PR
375L=8S	GLOVE BLACK NYLON KNIT LARGE W	PR
375LL=8S	LARGE GLOVE	PR
375LXL=8S	XLARGE GLOVE	PR
375M=8S	GLOVE BLACK NYLON KNIT MED W/	PR
375S=8S	GLOVE BLACK NYLON KNIT SZ SMAL	PR
42-474=8S	GLOVE, HEAT RESISTANT SZ-9	PR
4500-08=8S	GLOVE, NITRI-FLEX #8	PR
4500-09=8S	GLOVE, NITRI-FLEX #9	PR
4500-10=8S	GLOVE, NITRI-FLEX #10	PR
52-6645=8S	GLOVES, HEAT RESISTANT	PR
64056002=8S	NITRLE GLOVE M	PR
64056003=8S	NITRILE GLOVE LARGE	PR
64057132=8S	GLOVE, BROWN MEDIUM(1/144)	PR
64057133=8S	GLOVE, BROWN LARGE (12/144)	PR
64057175=8S	GLOVE STRING KNIT COTTON(MENS)	PR
64057187=8S	TWO SIDED DOT GLOVE MENS	PR
64057294=8S	GLOVE, 8 MIL NITRILE MED	PR
64057295=8S	GLOVE, 8 MIL NITRILE LRG	PR
64057296=8S	GLOVE, 8 MIL NITRILE XLRG	PR
64057407L=8S	GLOVES DRIVERS SZ LARGE	PR
64057407M=8S	GLOVES DRIVERS SZ MED,	PR
64057408=8S	GLOVES DRIVERS SZ LARGE	PR
64057707=8S	GLOVES	PR
64057708=8S	GLOVES, VINYL X-LG (100-BOX)	PR
64057808=8S	GLOVES, BLACK ELBOW LENGTH	PR
64057821=8S	GLOVE,RADNOR SM FLOCKED RUBBER	PR
64057822=8S	GLOVE,RADNOR LG FLOCKED RUBBER	PR
64057823=8S	GLOVE,RADNOR XL FLOCKED RUBBER	PR
64057878=8S	GLOVES, GRAY STRING KNIT (LG)	PR
7005XL=8S	GLOVE, NITRILE 100/BX	PR
70-6465NK=8S	GLOVE NORTH POLAR SZ MEN BLU/Y	PR
70-6465NKS=8S	GLOVE NORTH POLAR SZ LADIES BL	PR
710410=8S	GLOVE, COTTON XSMALL 12PR/PK	PR
710414=8S	GLOVE, COTTON XLG 12PR/PK	PR
710520=8S	GLOVE; WORK; LARGE	PR
710521=8S	GLOVE; WORK; MEDIUM	PR

Health and Safety Products

730645=8S	WLA644HRL-HVYWT GLOVES-HEAT RE	PR
761053=8S	GLOVE WELDING PIGSKIN 14" LG	PR
7700PFTL=8S	GLOVE,POWDER FREE TEXTURE (L)	PR
7700PFTM=8S	GLOVE,POWDER FREE TEXTURE (M)	PR
7700PFTXL=8S	GLOVE,POWDER FREE TEXTURE (XL)	PR
773804=8S	GLOVE,BEST LITE SZ 9 LT BLUE	PR
780222=8S	GLOVE; CHEMI-PRO #7	PR
780223=8S	GLOVE; CHEMI-PRO #8	PR
780224=8S	GLOVE; CHEMI-PRO #9	PR
780225=8S	GLOVE ANE224-10	PR
780497=8S	GLOVE CHEM-MASTER 26MIL 13" LG	PR
781015=8S	GLOVE B13 6797R-10	PR
782297=8S	GLOVE, NITRIL MD	PR
782298=8S	GLOVE, NITRIL SM	PR
782317=8S	GLOVE, NITRIL LG	PR
782318=8S	GLOVE, NITRIL XL	PR
782338=8S	GLOVE LATEX SMALL 100/BX	PR
782339=8S	GLOVE LATEX MED 100/BX	PR
782340=8S	GLOVE LATEX LARGE 100/BX	PR
782346=8S	GLOVE LATEX XL 100/BX	PR
783130=8S	GLOVE; N-DEX PLUS 8005; SMALL	PR
783131=8S	GLOVE; N-DEX PLUS 8005; MEDIUM	PR
783132=8S	GLOVE; N-DEX PLUS 8005; LARGE	PR
783133=8S	GLOVE; N-DEX PLUS 8005; XLARGE	PR
783160=8S	GLOVE; NITRILE; SMALL	PR
783161=8S	GLOVE; NITRILE; MEDIUM	PR
783162=8S	GLOVE, ANE92-500	PR
783163=8S	GLOVE; NITRILE; X-LARGE	PR
783176=8S	GLOVE NITRILE SML; POWD FREE	PR
783177=8S	GLOVE NITRILE MED; POWD FREE	PR
783178=8S	GLOVE NITRILE LARGE; POWD FREE	PR
783179=8S	GLOVE NITRILE XLG; POWD FREE	PR
783182=8S	GLOVE, NITRIL POWDER FREE SM	PR
783183=8S	GLOVE, NITRIL POWDER FREE MD	PR
783185=8S	GLOVE ANE92-675L	PR
783188=8S	GLOVE, NITRIL POWDER FREE XL	PR
790661=8S	GLOVE; POWDER FREE; SMALL	PR
790662=8S	GLOVE; POWDER FREE; MEDIUM	PR
790663=8S	GLOVE; POWDER FREE; LARGE	PR
790664=8S	GLOVE; POWDER FREE; X-LARGE	PR
790724=8S	SOLVENT GLOVE SIZE 10	PR
790732=8S	GLOVE NEOX COATED NEOPRENE	PR
790866=8S	GLOVE, NITRILE MESH BLACK	PR
790892=8S	GLOVE, VINYL, POWDER	PR
790933=8S	GLOVE; UNLINED SOL-VEX #9-91/2	PR
790934=8S	GLOVE; UNLINED SOL-VEX #10	PR
790941=8S	GLOVE; LINED SOL-VEX #9-91/2	PR


Health and Safety Products



Moldex Jazz Band™ With AdB® Coated Pods & Optional Breakaway Neck Cord

Jazz Band's high NRR 25 rating is due to the AdB coating on the soft foam pods. AdB acts as a barrier that not only reduces sound transmission, but also repels dirt and allows the foam pod to be washed and reused. Handy breakaway neck cord allows Jazz Band to conveniently hang around the neck when not in use. Sold individually.

250125=8S	EARPLUG; JAZZ BAND MOLDEX 6506	EA
250126=8S	JAZZBAND REPL POD MOLDEX 6504	EA




Moldex Softies® Disposable Foam Ear Plug

Moldex Softies® Are Extra-Soft Extra-Light Foam Seals For The Ear Canal Without Pressure. Tapered Shape Provides A Snug Fit While Gently Conforming To The Ear Canal. Bright Gold Color For Easy Compliance Checks NRR of 30.

250230=8S	EARPLUG; UNCORDED MOLDEX 6600	BX
250231=8S	EARPLUG; CORDED MOLDEX 6650 BOX CONTAINS 100 PR	BX

Health and Safety Products

High Visibility Traffic Vests, Cones & Flares




Ansell Edmont Traffic Vest With Optional 3M™ Reflective Stripe

Safety Vests in florescent orange or lime green are clearly visible to passers-by and vehicle traffic to minimize risk of injury on the work site. The lightweight, knitted polyester style is almost solid in appearance for better visibility. The wide-mesh style is cool and comfortable, weighing only four ounces.

63-300=8S	VEST, ORANGE	EA
63-303=8S	VEST, ORANGE W/YELLOW S(1/144)	EA
63-304=8S	VEST, ORANGE W/SILVER S(1/144)	EA
63-310=8S	VEST, LIME GREEN	EA
LFV3S=8S	VEST, GREEN W/ STRIPE	EA

Vests with Clear Pocket for Airline Ramp ID Badge

16300-153-1500=8S	VEST LIME W/ CLR POCKET	EA
-------------------	-------------------------	----



Bright Orange Vinyl Safety Cone With Black Base

Bright orange safety cones stand out, day or night. Vinyl cone construction assures flexibility and durability. The black base is weighted for stability

955140=8S	28" TRAFFIC CONE	EA
-----------	------------------	----

Health and Safety Products

Janitorial Supplies

107W2=8S	FOAM PANT BRUSH 2" WOOD HANDLE	EA
200500=8S	DUSTPAN CHARCOAL RUBBERMAID	EA
226-311Y=8S	BUCKET 26QT MOP AND RINGER	EA
3975=8S	ANGLE BROOM 9IN HEAD W/8IN TRI	EA
40972=8S	SIGN, 10X14, HRNG PROT REG	EA
41004=8S	BRUSH, SIZE#1,1/8 DIA,3/4 TRIM	EA
42032=8S	STREET BROOM 16 WEILER BRUSH	EA
44020=8S	HANDLE 5'X1-1/8" WEILER BRUSH	EA
504=8S	WIPES ALC FREE 100/BX	EA
5323=8S	SWEeper HUSKEE 1/2IN HORSEHAIR	EA
611200YEL=8S	FLOOR SIGN CAUTION	EA
647D=8S	PADLOCK COMBINATION 3/16IN WID	EA
770=8S	MOP HANDLE 63IN FIBERGLASS STI	EA
933118=8S	WIPE, K-C 34256	EA
954213=8S	FLOOR SWEEP EATUM 30 LB BAG	EA
957202=8S	PADLOCK; RED	EA
A04912=8S	MOP HEAD MED LOOP END 4-PLY CO	EA
HK13130W=8S	TRASH BAG 130/BOX WHITE 13-GAL	EA
HK39050B=8S	TRASH BAG, 39GL .9MIL (50(1/6)	EA
HK5503B=8S	TRASH BAG 30/BOX 55GL(1/6)	EA
HK5503BX=8S	TRASH BAG 30/BOX 55GL(1/6)	EA
K40-41043=8S	WYPALL JUMBO ROLL BLUE 12.5INX	EA
WB40035=8S	BRUSH, CLEANING STIFF BRISTLE	EA
WB44395=8S	SCRUB BRUSH, IRON STYLE (1/12)	EA
WE144251=8S	BRUSH, ALUMINUM WIRE	EA
WINDEX320Z=8S	WINDEX GLASS CLEANER (T-SPRAY)	EA
WLE1186=8S	FRAGRANCE FOR KLEEN TECH LEMON	EA
X118S=8S	SHOVEL, SNOW 18"X13 1/2"	EA
OILABSORBENT=8S	OIL DRY 50LB FLAB50	EA
25452-955308=8S	CABINET FLAM LIQUID SLF-CLSNG	EA
30-110=8S	BIN BOX, BLUE 2-3/8"X4X11-5/8"	EA
30-120=8S	BIN BOX, YEL 4-1/2"X4X11-5/8"	EA
30-150=8S	BIN BOX, YEL 8-3/8"X4X11-5/8"	EA
440130=8S	ACID WIPE CANISTER 20/CAN	EA
440133=8S	ACID SPILL KIT	EA
911032=8S	BOTTLE, SQUEEZE	EA
922HL=8S	TRIGGER 9IN FOR 924B (200/CS)	EA
924B=8S	PLASTIC BOTTLE 24 OZ (100/CS)	EA
953535=8S	SPILL PLATFORM	EA
BAKINGSODA1LB=8S	BAKING SODA 1-LB(1/24)	EA
BPLY12X16=8S	TARP POLY 12X16	EA
CRA1904=8S	ACID CABINET GL BLUE W/ONE MA	EA
DTA25=8S	SORBENT DRUM COVER 22"(25/CS)	EA
DZ100=8S	SORBENT DRI-ZORB CORN COB 40#	EA
ENV100=8S	SORBENT PADS 100/BAIL	EA

Health and Safety Products

G0J6298-04=8S	FASTWIPE 8.5X11 130/CAN(1/4)	EA
HA95561-95-5=8S	SOLDER, ROSIN 95/5 1LB	EA
KCT113=8S	30 KEY CAB BOX 12-1/8"X8"X2-5/	EA
MR015P=8S	15" X 150' SORBENT ROLL	EA
MSA475385=8S	313036 REG HARDCAP TOP-GARD WH	EA
MSA475387=8S	TOPGUARD FULL BRIM YELLOW HARD	EA
P110=8S	SORBENT PAD 11X13 50/BOX	EA
PA3242HD=8S	BAG, HD 3MIL 32/BX	EA
PPV20E=8S	VENT BLOWER, SPITFIRE	EA
SORG200=8S	954550 SORBENT PAD 200 EA/BG	EA
SORUTX200=8S	ABSORBENT PADS 15INX19IN	EA
SKH-ATK=8S	SPILL KIT	EA
SPILLKIT=8S	UNIVERSAL SPILL KIT (SKA-PP)	EA
SVF25ACAN=8S	FAN, AXIAL W/DUCT	EA
SXT100=8S	OIL PAD	EA
TUBEBRUSH1-8=8S	TUBE BRUSH 1/15 (2335181(1/15)	EA

Lock-Out/Tag-Out Supplies



ANSI and OSHA Standards require the use of Safety Signs to indicate and define hazards that, without identification, may lead to accidental injury to workers and/or the public or damage to property. End confusion with clear, easy-to-read Brady labels. From equipment, conduit and voltage markers, to hard hat labels, property ID plates and more.

955409=8S	LOCKOUT ID TAG 25/PK	PK
955410=8S	LOCK LABEL 3/4X5IN 40 PER BOX	BX
955411=8S	OVERLAMINATE SHEET 1X6 40/PK	PK
957202=8S	PADLOCK; RED	EA

Health and Safety Products



Uvex® Astro OTG® 3001 Safety Glasses With Black Frame And Uvextreme® Anti-Fog Lens

The astrospec OTG® 3001™ offers an economical alternative to custom prescription eyewear programs. Features 4-way adjustable temple lengths for a custom fit. Duoflex(®) temples are cushioned to relieve behind the ear pressure. Browguard and sideshields for complete eye protection. Polycarbonate lenses are easy to replace

150779=8S	GLASSES; OTG3001 GREY	EA
150781=8S	GLASSES; OTG3001 S2500C	EA
150789=8S	LENS; OTG3001 S561	EA
150835=8S	LENS; OTG3001 GRAY	EA



Uvex® Flashback® Model S4000 Safety Glasses With Black Frame And Clear Ultradura® Lens

For workers that prefer the stylish look of the classic dual lens spectacle. The dual-look lens is actually one lens for easy, cost-effective replacement. Lenses available in clear, uvextreme(®)AF coated clear, gray and amber. Adjustable temple lengths and lens inclination provide a custom fit. Molded-in sideshields protects the eye from virtually any angle.

150900=8S	GLASSES; FLASHBACK S4000	EA
150913=8S	LENS; FLASHBACK CLEAR	EA
150914=8S	LENS; FLASHBACK GRAY	EA

Health and Safety Products



Crews® Ratchet Take Up Headgear Model 103

Crews® Economy Headgear offers a large guard for added protection and will adjust for "kick-up" when not in use. Suspension floats for absorbing impact. Ratchet and crown adjustments provide comfortable fit. Simple attachment and removal of windows is done without snaps or straps. PETG .040" thick faceshield windows are sold separately.

337411=8S	RATCHET HEADGEAR; CREWS 103	EA
337412=8S	FACESHIELD LENS; CREWS	EA



Bouton® Lensclean™ VisionAid® Standard Lens Cleaning Station Complete With 1520 6"X5" Tissues And 16oz Bottle Of Solution

930125=8S	TOWELETTE; LENS CLEANING	BX
930715=8S	LENS STATION; VISIONAID 5000D	EA

Health and Safety Products



Ansell Edmont Denim Shop Apron W/ Bib & Side Pocket 28X36"

The perfect shop apron in blue 12 oz. denim. Features include grommets and neck and waist ties. Swing pocket configurations available to accommodate micrometers. Sold individually.

550840=8S

SHOP APRON 28X36(1/72)

EA

Weather/General Protection-Complete List

216M6FTGN=8S	MANYARD II 6' GREEN SINGLE LEG	EA
44302=8S	COVERALL, KLEENGUARD XP MED	EA
44304=8S	COVERALL, KLEENGUARD XP XL	EA
44305=8S	COVERALL, KLEENGUARD XP XXL	EA
44306=8S	COVERALL, KLEENGUARD XP XXXL	EA
522001=8S	RAINSUIT 3 PART, SMALL(1/20)	EA
522002=8S	RAINSUIT 3 PART, MED(1/20)	EA
522003=8S	RAINSUIT 3 PART, LARGE(1/20)	EA
522004=8S	RAINSUIT 3 PART, XLRG(1/20)	EA
522005=8S	RAINSUIT 3 PART, XXL(1/20)	EA
522006=8S	RAINSUIT 3 PART, XXXL(1/20)	EA
522007=8S	RAINSUIT 3 PART, XXXXL(1/20)	EA
538831=8S	COVERALL, ECONOMY MED	EA
538832=8S	COVERALL, ECONOMY LG	EA
538833=8S	COVERALL, ECONOMY XL	EA
538834=8S	COVERALL, ECONOMY 2XL	EA
541250=8S	BLUE BOOTIES, 50PR/BOX	EA
550840=8S	SHOP APRON 28X36(1/72)	EA
56-102-35X45=8S	APRON, 20 MIL PVC GREEN	EA
56-502-35X45=8S	ANSELL HYCAR APRON	EA
56-600-35X48=8S	APRON URETHANE 35X48" YELLOW L	EA
56-801-35X45=8S	APRON, ENDUROSAT 35X45 YELLOW	EA
64055211=8S	COVERALLS BLUE MIN BUY 2(1/25)	EA
64055473=8S	SHOE COVER, POLYPROPYLENE BLUE	EA
64058004=8S	RADNOR 1ST-AID CABNT-KIT-METAL	EA
64058009=8S	RADNOR 1ST-AID CABNT-KIT-BULK	EA
901-542193=8S	SHOE COVER TYVEK ONE SIZE 200P	EA

Expendable Products ✓

SEALANTS

32	051128-09767=32	3950 EDGE SEALER	8 OZ
33	OYLITESTIK=33	SEALANT, 1.25 OZ	1.25 OZ
33	18-4PT=33	SEALANT	PT
33	18-4QT=33	SEALANT	QT
5N	221824=5N	GUN, SEALANT 2.5 OZ, METAL RETAINER	EA
5N	221830=5N	GUN, SEALANT 6 OZ, METAL RETAINER	EA
33	3302PT=33	DAPCO CA4B SEALANT	16 OZ
6P	59530=6P	SEALANT	80 ML
5N	AC215B1-2-2-50Z=5N	SEALANT, ACCESS DOOR	2.5 OZ
5N	AC215B1-2-60Z=5N	SEALANT, ACCESS DOOR	6 OZ
5N	AC215B1-2PT=5N	SEALANT, ACCESS DOOR	PT
5N	AC215B1-2QT=5N	SEALANT, ACCESS DOOR	QT
5N	AC215B2-2-50Z=5N	SEALANT, ACCESS DOOR	2.5 OZ
5N	AC215B2-60Z=5N	SEALANT, ACCESS DOOR	6 OZ
5N	AC215B2PT=5N	SEALANT, ACCESS DOOR	PT
5N	AC215B2QT=5N	SEALANT, ACCESS DOOR	QT
5N	AC236A1-2-2-50Z=5N	SEALANT, FUEL TANK & FUSELAGE	2.5 OZ
5N	AC236A1-2-60Z=5N	SEALANT, FUEL TANK & FUSELAGE	6 OZ
5N	AC236A1-2PT=5N	SEALANT, FUEL TANK & FUSELAGE	PT
5N	AC236A1-2QT=5N	SEALANT, FUEL TANK & FUSELAGE	QT
5N	AC236A2-2-50Z=5N	SEALANT, FUEL TANK & FUSELAGE	2.5 OZ
5N	AC236A2-60Z=5N	SEALANT, FUEL TANK & FUSELAGE	6 OZ
5N	AC236A2PT=5N	SEALANT, FUEL TANK & FUSELAGE	PT
5N	AC236A2QT=5N	SEALANT, FUEL TANK & FUSELAGE	QT
5N	AC236B2-60Z=5N	SEALANT, FUEL TANK & FUSELAGE	6 OZ
5N	AC240B1-2-2-50Z=5N	SEALANT, FUEL TANK & FUSELAGE	2.5 OZ
5N	AC240B1-2-60Z=5N	SEALANT, FUEL TANK & FUSELAGE	6.5 OZ
5N	AC240B1-2PT=5N	SEALANT, FUEL TANK & FUSELAGE	PT
5N	AC240B1-2QT=5N	SEALANT, FUEL TANK & FUSELAGE	QT
5N	AC240B2-2-50Z=5N	SEALANT, FUEL TANK & FUSELAGE	2.5 OZ
5N	AC240B2-60Z=5N	SEALANT, FUEL TANK & FUSELAGE	6 OZ
5N	AC240B2PT=5N	SEALANT, FUEL TANK & FUSELAGE	PT
5N	AC240B2QT=5N	SEALANT, FUEL TANK & FUSELAGE	QT
5N	AC250B1-6-2-50Z=5N	SEALANT, LOW TEMP CURING	2.5 OZ
5N	AC250B1-6-60Z=5N	SEALANT, LOW TEMP CURING	6 OZ
5N	AC251B1-2-2-50Z=5N	SEALANT, CANOPY/WINDSHIELD	2.5 OZ
5N	AC251B1-2-60Z=5N	CANOPY/WINDSHIELD SEALANT	6 OZ
5N	AC251B1-2B1-2PT=5N	CANOPY/WINDSHIELD SEALANT	PT
5N	AC251B1-2PT=5N	CANOPY/WINDSHIELD SEALANT	PT
5N	AC275B1-2-2-50Z=5N	SEALANT, FUEL TANK & FUSELAGE	2.5 OZ
5N	AC275B1-2-60Z=5N	SEALANT, FUEL TANK & FUSELAGE	6 OZ
5N	AC275B1-2PT=5N	SEALANT, FUEL TANK & FUSELAGE	PT
5N	AC275B1-2QT=5N	SEALANT, FUEL TANK & FUSELAGE	QT
5N	AC275B2-2-50Z=5N	SEALANT, FUEL TANK & FUSELAGE	2.5 OZ
5N	AC275B2-60Z=5N	SEALANT, FUEL TANK & FUSELAGE	6 OZ
5N	AC275B2PT=5N	SEALANT, FUEL TANK & FUSELAGE	PT

Expendable Products

SEALANTS-CONTINUED

5N	AC275B2QT=5N	SEALANT, FUEL TANK & FUSELAGE	QT
5N	AC350B1-2-60Z=5N	SEALANT, FUEL TANK & FUSELAGE	6 OZ
5N	AC632B1-2-2-50Z=5N	SMOOTHING COMPOUND	2.5 OZ
5N	AC632B1-2-60Z=5N	SMOOTHING COMPOUND	6 OZ
5N	AC632B1-2PT=5N	SMOOTHING COMPOUND	PT
5N	AC632B1-2QT=5N	SMOOTHING COMPOUND	QT
5N	AC632B2-2-50Z=5N	SMOOTHING COMPOUND	2.5 OZ
5N	AC632B2-60Z=5N	SMOOTHING COMPOUND	6 OZ
5N	AC632B2PT=5N	SMOOTHING COMPOUND	PT
5N	AC632B2QT=5N	SMOOTHING COMPOUND	QT
5N	AC665B1-2-2-50Z=5N	SEALANT, CORROSION INHIBITIVE	2.5 OZ
5N	AC665B1-2-60Z=5N	SEALANT, CORROSION INHIBITIVE	6 OZ
5N	AC665B1-2PT=5N	SEALANT, CORROSION INHIBITIVE	PT
5N	AC665B1-2QT=5N	SEALANT, CORROSION INHIBITIVE	QT
5N	AC665B2-2-50Z=5N	SEALANT, CORROSION INHIBITIVE	2.5 OZ
5N	AC665B2-60Z=5N	SEALANT, CORROSION INHIBITIVE	6 OZ
5N	AC665B2PT=5N	SEALANT, CORROSION INHIBITIVE	PT
5N	AC665B2QT=5N	SEALANT, CORROSION INHIBITIVE	QT
5N	AC665C12=5N	SEALANT, CORROSION INHIBITIVE	2.5 OZ
5N	AC730B1-2-2-50Z=5N	SEALANT, NON-CHROM CORR INHIBTV	2.5 OZ
5N	AC730B1-2-60Z=5N	SEALANT, NON-CHROM CORR INHIBTV	6 OZ
5N	AC730B1-2PT=5N	SEALANT, NON-CHROM CORR INHIBTV	PT
5N	AC730B1-2QT=5N	SEALANT, NON-CHROM CORR INHIBTV	QT
5N	AC730B2-2-50Z=5N	SEALANT, NON-CHROM CORR INHIBTV	2.5 OZ
5N	AC730B2-60Z=5N	SEALANT, NON-CHROM CORR INHIBTV	6 OZ
5N	AC730B2PT=5N	SEALANT, NON-CHROM CORR INHIBTV	PT
5N	AC730B2QT=5N	SEALANT, NON-CHROM CORR INHIBTV	QT
5N	AC770B2=5N	SEALANT, LOW DENSITY FUSELAGE	QT
33	AP280-10Z=33	SEALANT 1-OZ	1 OZ
33	CA1000-60Z=33	SEALANT	6 OZ
33	CG1305GL=33	SEALING COMPOUND	GL
33	CSL503-2-70Z=33	SEALANT, SILICONE	2.7 OZ KIT
99	DC790-10-30ZBLK=99	SEALANT	10.3 OZ
99	DC790-10-30ZWHI=99	SEALANT	10.3 OZ
8T	GTP530A=8T	SEALANT SCRAPER	EA
3L	HT3326-5-50=3L	SEALANT, GREEN	50 ML
33	JC5A60Z=33	JOINTING COMPOUND	6 OZ
8T	JNT21102=8T	SEALANT SCRAPER	EA
8T	JNT211C40=8T	SEALANT SCRAPER	EA
8T	JNT8RSC=8T	SEALANT SCRAPER	EA
33	L301-12LBKIT=33	SEALANT KIT	12 LB
33	L318-60Z=33	SEALANT	6 OZ
33	MASTINOX6856=33	SEALER	160 ML
33	PBS12=33	SEALANT, DEICE BOOT	32 OZ
5N	PR1005LPT=5N	SEALANT	16 OZ
5N	PR1422A1-2=5N	SEALANT	6 OZ

Expendable Products

SEALANTS-CONTINUED

5N	PR1422A2-60Z=5N	SEALANT	6 OZ
5N	PR1422B1-2=5N	SEALANT	6 OZ
5N	PR1422B1-2-2-5=5N	SEALANT	2.5 OZ
5N	PR1422B1-4-60Z=5N	SEALANT	6 OZ
5N	PR1422B2-2-50Z=5N	SEALANT	2.5 OZ
5N	PR1425B1-2=5N	SEALANT	6 OZ
5N	PR1425B2-60Z=5N	SEALANT	6 OZ
5N	PR1426A1-6=5N	SEALANT	6 OZ
5N	PR1428A1-2=5N	SEALANT	6 OZ
5N	PR1428A2=5N	SEALANT	6 OZ
5N	PR1428B1-2=5N	SEALANT	6 OZ
5N	PR1428B2=5N	SEALANT	6 OZ
5N	PR1432GPT=5N	SEALANT	16 OZ
5N	PR1435=5N	SEALANT	2.5 OZ
5N	PR1435-60Z=5N	SEALANT	6 OZ
5N	PR1436GPT=5N	SEALANT	16 OZ
5N	PR1440A1-2-60Z=5N	SEALANT	6 OZ
5N	PR1440B1-2=5N	SEALANT	6 OZ
5N	PR1440B1-2-2-50Z=5N	SEALANT	2.5 OZ
5N	PR1750B1-2-60Z=5N	SEALANT	6 OZ
5N	PR1773B1-2PT=5N	SEALANT	16 OZ
5N	PR1776M1-2-60Z=5N	SEALANT	6 OZ
5N	PR1826B1-4=5N	SEALANT	6 OZ
5N	PR1826B1-4-2-5=5N	SEALANT	2.5 OZ
5N	PR1826B2-60Z=5N	SEALANT	6 OZ
5N	PR1828B1-2=5N	SEALANT	6 OZ
5N	PR1828B1-4=5N	SEALANT	6 OZ
5N	PR1829B1-2=5N	SEALANT	6 OZ
5N	PR1829B1-4=5N	SEALANT	6 OZ
5N	PR2001B1-2=5N	SEALANT	6 OZ
5N	PR2001B2-4-50Z=5N	SEALANT	4.5 OZ
5N	PS700=5N	SEALANT	16 OZ
5N	PS860B1-6=5N	SEALANT	6 OZ
5N	PS870A1-2=5N	SEALANT	6 OZ
5N	PS870A2=5N	SEALANT	2.5 OZ
5N	PS870B1-2-20Z=5N	SEALANT	2.5 OZ
5N	PS870B1-2-60Z=5N	SEALANT	6 OZ
5N	PS870B2=5N	SEALANT	2.5 OZ
5N	PS870B2-60Z=5N	SEALANT	6 OZ
5N	PS870C12=5N	SEALANT	6 OZ
5N	PS870C12-2-50Z=5N	SEALANT	2.5 OZ
5N	PS870C24=5N	SEALANT	6 OZ
5N	PS870C24-2-50Z=5N	SEALANT	2.5 OZ
5N	PS872B1-2=5N	SEALANT	2.5 OZ
5N	PS872B2PT=5N	SEALANT	16OZ KT
3L	TF2219-50=3L	SEALANT, ORANGE	50 ML

Expendable Products

ROYAL LUBRICANTS/AEROSHELL (CODE 2U)

2U 14CTG=2U	GREASE MILG25537C	14.1 OZ
2U 17-6-6LB=2U	GREASE MILG21164D	6.6 LB
2U 17CTG=2U	NLA: USE 33MS	14.1 OZ
2U 22AS35LB=2U	GREASE MILPRF81322 AEROSHELL	35 LB
2U 22AS6-6LB=2U	GREASE MILPRF81322 AEROSHELL	6.5 LB
2U 22CF1-75LB=2U	GREASE MILG81322	1.75 LB
2U 22CF35LB=2U	GREASE MILG81322	35 LB
2U 22CF6-5LB=2U	GREASE MILG81322	6.5 LB
2U 22CFCTG=2U	GREASE MILG81322 ROYCO	14 OZ
2U 22CTG=2U	GREASE MILPRF81322 AEROSHELL	14 OZ
2U 22MS35LB=2U	GREASE MILG81827A	35 LB
2U 22MSCTG=2U	GREASE MILG81827A	14 OZ
2U 27-35LB=2U	GREASE MILG23827B	35 LB
2U 27-6-5LB=2U	GREASE MILG23827B	6.5 LB
2U 27CTG=2U	GREASE MILG23827B	14 OZ
2U 32-1-75LB=2U	GREASE MILG6032	1.75 LB
2U 33MSCTG=2U	GREASE, AEROSHELL 33MS	14 OZ
2U 363-1GL=2U	ROYCO 363 MILPRF7870	1 GL
2U 363-5GL=2U	ROYCO 363 MILPRF7870	5 GL
2U 43-6-5LB=2U	GREASE	6.5 LB
2U 44-1-75LB=2U	GREASE MILT5544	1.75 LB
2U 481-55GL=2U	GREASE, MILPRF6081	5 GL
2U 481-5GL=2U	GREASE, MILPRF6081	5 GL
2U 483-5GL=2U	CORROSION PREVENT MILC6529 TY 3	5 GL
2U 500-1QT=2U	AEROSHELL 500 TURINE OIL	32 OZ
2U 5-6-6LB=2U 5-6-6LB=33	GREASE MILG3545C	6.6 LB
2U 581-5GL=2U	CORROSION PREV. MILC6529CL1	5 GL
2U 5CTG=2U	GREASE MILG3545C	14.1 OZ
2U 64-35LB=2U	GREASE MILG21164D	35 LB
2U 64-6-5LB=2U	GREASE MILG21164D	6.5 LB
2U 6CTG=2U	GREASE MILG24139A	14.1 OZ
2U 7-35LB=2U	GREASE MILG23827B	35 LB
2U 756-1GL=2U	HYDRAULIC FLUID	1 GL
2U 756-1QT=2U	HYDRAULIC FLUID	32 OZ
2U 756-55GL=2U	HYDRAULIC FLUID	55 GL
2U 756-5GL=2U	HYDRAULIC FLUID	5 GL
2U 756A1GL=2U	HYDR. FLUID, SQUARE CAN	1 GL
2U 7-6-6LB=2U	GREASE MILG23827B	6.6 LB
2U 782-1GL=2U	HYDRAULIC FLUID MILPRF83282D	1 GL
2U 7CTG=2U	GREASE MILG23827B	14.1 OZ
2U 808-1QT=2U	TURBINE OIL, MILPRF7808L GR 3	32 OZ
2U 81MS1-75LB=2U	GREASE MILG25681	1.75 LB
2U 825-1-75LB=2U	GREASE, ROYCO 825	1.75 LB
2U 885-1GL=2U	MIL-L-6085 INSTRUMENT OIL	1 GL
2U LGF5GL=2U	LANDING GEAR FLUID	5 GL

Expendable Products

SOLUTIA (CODE 57)

57	500B4-55GL=57	SKYDROL	55 GL
57	500B4-5GL=57	SKYDROL	5 GL
57	500B4GL=57	SKYDROL	1 GL
57	500B4QT=57	SKYDROL	32 OZ
57	LD4-5GL=57	HYDRAULIC FLUID	5 GL
57	LD4GL=57	HYDRAULIC FLUID	1 GL
57	LD4QT=57	HYDRAULIC FLUID	32 OZ
57	MCS352-5-40Z=57	HYDRAULIC ASSY FLUID	5.4 OZ
57	SK2000QT=57	SKYKLEEN PASTE	32 OZ
57	SK54GL=57	SKYKLEEN SOLVENT	55 GL
57	SK5GL=57	SKYKLEEN SOLVENT	5 GL
57	SKSAMPLE=57	SOLVENT, SKYKLEEN	32 OZ

SILICONE PRODUCTS (CODE 02)

02	321=02	MOLYKOTE LUBE	11 OZ
02	321-3-6KG=02	MOLYKOTE LUBE	7.94 LB
02	DC106QT=02	LUBRICANT	32 OZ
02	DC111-50Z=02	LUBRICANT	5 OZ
02	DC1200PTRED=02	COATING	16 OZ
02	DC1292-50Z=02	SEALANT	5 OZ
02	DC200-100CSPT=02	LUBRICANT	16 OZ
02	DC200-5000CS=02	LUBRICANT	1 GL
02	DC200-50CSPT=02	LUBRICANT	16 OZ
02	DC316-100Z=02	SILICONE RELEASE SPRAY	10 OZ
02	DC33LIGHT50Z=02	DC33 LUBRICANT	5 OZ
02	DC33LIGHT8LB=02	DC33 LUBRICANT	8 LB
02	DC33MED140Z=02	DC33 LUBRICANT	14 OZ
02	DC33MED50Z=02	DC33 LUBRICANT	5 OZ
02	DC3402C=02	MOLYKOTE LUBRICANT	500 GM
02	DC340-50Z=02	HEAT SINK COMPOUND	5 OZ
02	DC4-1LB=02	DC4 LUBRICANT	1 LB
02	DC4-20Z=02	DC4 LUBRICANT	2 OZ
02	DC4-30Z=02	DC4 LUBRICANT	3 OZ
02	DC44MED5-30Z=02	DC44 LUBRICANT	5.3 OZ
02	DC4-5-30Z=02	DC4 LUBRICANT	5.3 OZ
02	DC4-80Z=02	DC4 LUBRICANT	8 OZ
02	DC4-8LB=02	DC4 LUBRICANT	8 LB
02	DC510-50CS1GAL=02	LUBRICANT	1 LB
02	DC5-5-30Z=02	DC5 LUBRICANT	5.3 OZ
02	DC557-110Z=02	DRY FILM LUBRICANT	11 OZ
02	DC55MED5-30Z=02	LUBRICANT	5.3 OZ
02	DC55MED80Z=02	LUBRICANT	8 OZ
02	DC77=02	ASSEMBLY PASTE	16 OZ
02	DC77-80Z=02	ASSEMBLY PASTE	8 OZ

Expendable Products

SILICONE PRODUCTS (CODE 02)-continued

02	DP460-1-2-5-0Z=02	ADHESIVE, WHITE	1.25 OZ
02	GNPASTE=02	ASSEMBLY PASTE	2.8 OZ
02	GNPASTEPT=02	ASSEMBLY PASTE	16 OZ
02	LUB0MOLYPOWER=02	MOLYKOTE Z POWDER	10 OZ
02	P37-1PT=02	MOLYKOTE LUBRICANT	16 OZ
02	Q4-2817=02	SEALANT, FUEL RESISTANT	5.4 OZ
02	RTV102-30Z=02	SEALANT	2.8 OZ
02	RTV103-2-80Z=02	SEALANT	3 OZ
02	RTV106-120Z=02	SEALANT, HIGH TEMP	12 OZ
02	RTV106-30Z=02	SEALANT, HIGH TEMP	3 OZ
02	RTV108-30Z=02	SEALANT	2.8 OZ
02	RTV109-10-1CTG=02	SEALANT	10 OZ
02	RTV109-30Z=02	SEALANT	2.8 OZ
02	RTV133-10-10Z=02	SEALANT	10.1 OZ
02	RTV1473-30Z=02	SEALANT	2.8 OZ
02	RTV157-30Z=02	SEALANT	2.8 OZ
02	RTV159-30Z=02	SEALANT	2.8 OZ
02	RTV162-30Z=02	SEALANT	2.8 OZ
02	RTV167-30Z=02	SEALANT	2.8 OZ
02	RTV3145-10-30ZC=02	SEALANT	10.3 OZ
02	RTV3145-30Z=02	SEALANT	5.3 OZ
02	RTV340-50Z=02	DC340-50Z=02	5 OZ
02	RTV577-1GL=02	SEALANT	1 GL
02	RTV630-1LB=02	PART 2 GE	16 OZ
02	RTV730-30Z=02	SEALANT	3 OZ
02	RTV732-10-30ZAL=02	SEALANT, ALUMINUM	3 OZ
02	RTV732-10-30ZCL=02	SEALANT, CLEAR	3 OZ
02	RTV732-10-30ZWH=02	SEALANT, WHITE	3 OZ
02	RTV732-30Z=02	SEALANT	3 OZ
02	RTV732-30ZALU=02	SEALANT	3 OZ
02	RTV732-30ZBLK=02	SEALANT	3 OZ
02	RTV732-30ZWHI=02	SEALANT	TUBE
02	RTV732-50ZBLK=02	SEALANT, BLACK	5 OZ
02	RTV732-50ZCLR=02	SEALANT, CLEAR	5 OZ
02	RTV732-50ZWHI=02	SEALANT, WHITE	5 OZ
02	RTV734-30ZCLR=02	SEALANT	3 OZ
02	RTV736-10-30ZRD=02	SEALANT, HIGH TEMP	10.3 OZ
02	RTV736-30ZRED=02	SEALANT, HIGH TEMP	3 OZ
02	RTV737-30ZCLR=02	SEALANT	3 OZ
02	RTV738-305ML=02	SEALANT	10.3 OZ
02	RTV738-30Z=02	SEALANT	3 OZ
02	RTV8111-1LB=02	SEALANT	1 LB
02	RTV88-1LB=02	SEALANT	1 LB
02	SS4004PT=02	SEALANT PRIMER	16 OZ

Expendable Products

SILICONE PRODUCTS (CODE 02)-CONTINUED

02	RTV159-30Z=02	SEALANT	2.8 OZ
02	RTV162-30Z=02	SEALANT	2.8 OZ
02	RTV167-30Z=02	SEALANT	2.8 OZ
02	RTV3145-10-30ZC=02	SEALANT	10.3 OZ
02	RTV3145-30Z=02	SEALANT	5.3 OZ
02	RTV340-50Z=02	DC340-50Z=02	5 OZ
02	RTV577-1GL=02	SEALANT	1 GL
02	RTV630-1LB=02	PART 2 GE	16 OZ
02	RTV730-30Z=02	SEALANT	3 OZ
02	RTV732-10-30ZAL=02	SEALANT, ALUMINUM	3 OZ
02	RTV732-10-30ZCL=02	SEALANT, CLEAR	3 OZ
02	RTV732-10-30ZWH=02	SEALANT, WHITE	3 OZ
02	RTV732-30Z=02	SEALANT	3 OZ
02	RTV732-30ZALU=02	SEALANT	3 OZ
02	RTV732-30ZBLK=02	SEALANT	3 OZ
02	RTV732-30ZWHI=02	SEALANT	TUBE
02	RTV732-50ZBLK=02	SEALANT, BLACK	5 OZ
02	RTV732-50ZCLR=02	SEALANT, CLEAR	5 OZ
02	RTV732-50ZWHI=02	SEALANT, WHITE	5 OZ
02	RTV734-30ZCLR=02	SEALANT	3 OZ
02	RTV736-10-30ZRD=02	SEALANT, HIGH TEMP	10.3 OZ
02	RTV736-30ZRED=02	SEALANT, HIGH TEMP	3 OZ
02	RTV737-30ZCLR=02	SEALANT	3 OZ
02	RTV738-305ML=02	SEALANT	10.3 OZ
02	RTV738-30Z=02	SEALANT	3 OZ
02	RTV8111-1LB=02	SEALANT	1 LB
02	RTV88-1LB=02	SEALANT	1 LB
02	SS4004PT=02	SEALANT PRIMER	16 OZ